

I. 환자감시 : 전수감시 감염병 주간 발생 현황

1. 2022년 50주차 보고 현황(2022. 12. 10. 기준)*

단위 : 보고환자수[†]

감염병 [†]	금주	2022년 누계	5년간 주별 평균 [§]	연간현황					금주 해외유입현황 : 국가명(신고수)
				2021	2020	2019	2018	2017	
제2급감염병									
결핵	360	15,945	449	18,335	19,933	23,821	26,433	28,161	인도네시아(2)
수두	421	17,504	1,885	20,929	31,430	82,868	96,467	80,092	
홍역	0	0	0	0	6	194	15	7	
콜레라	0	0	0	0	0	1	2	5	
장티푸스	0	41	2	61	39	94	213	128	
파라티푸스	4	36	1	29	58	55	47	73	
세균성이질	0	33	2	18	29	151	191	112	
장출혈성대장균감염증	6	208	1	165	270	146	121	138	
A형간염	20	1,856	69	6,583	3,989	17,598	2,437	4,419	
백일해	1	30	9	21	123	496	980	318	
유행성이하선염	115	6,058	230	9,708	9,922	15,967	19,237	16,924	
풍진	0	0	0	0	0	8	0	7	
수막구균 감염증	0	0	0	2	5	16	14	17	
폐렴구균 감염증	7	329	11	269	345	526	670	523	
한센병	0	1	0	5	3	4			
성홍열	15	486	176	678	2,300	7,562	15,777	22,838	
반코마이신내성황색 포도알균(VRSA) 감염증	0	1	0	2	9	3	0	0	
카바페넴내성장내세균 속균종(CRE) 감염증	454	28,754	284	23,311	18,113	15,369	11,954	5,717	
E형간염	5	470	-	494	191	-	-	-	
제3급감염병									
파상풍	0	25	0	21	30	31	31	34	
B형간염	5	325	8	453	382	389	392	391	
일본뇌염	0	7	0	23	7	34	17	9	
C형간염	113	7,918	197	10,115	11,849	9,810	10,811	6,396	
말라리아	0	407	1	294	385	559	576	515	
레지오넬라증	3	400	6	383	368	501	305	198	
비브리오패혈증	1	46	0	52	70	42	47	46	
발진열	0	14	0	9	1	14	16	18	
쯔쯔가무시증	114	5,992	179	5,915	4,479	4,005	6,668	10,528	
렙토스피라증	3	65	3	144	114	138	118	103	
브루셀라증	0	8	0	4	8	1	5	6	
신증후군출혈열	8	283	11	310	270	399	433	531	
후천성면역결핍증(AIDS)	15	773	18	773	818	1,006	989	1,008	
크로이츠펔트-야콥병(CJD)	0	26	1	67	64	53	53	36	
뎅기열	2	84	2	3	43	273	159	171	
큐열	1	104	1	46	69	162	163	96	
라임병	0	16	0	8	18	23	23	31	
유비저	0	0	0	2	1	8	2	2	
치쿤구니아열	0	5	0	0	1	16	3	5	
중증열성혈소판감소 증후군(SFTS)	0	191	0	172	243	223	259	272	
지카바이러스감염증	0	2	0	0	1	3	3	11	

* 2022년 통계는 변동가능한 잠정통계이며, 2022년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 미포함 질병: 에볼라바이러스병, 마버그열, 라싸열, 크리미안콩고출혈열, 남아메리카출혈열, 리프트밸리열, 두창, 페스트, 탄저, 보툴리눔독소증, 야토병, 신종감염병중후군, 중증급성호흡기증후군(SARS), 중증호흡기증후군(MERS), 동물인플루엔자 인체감염증, 신종인플루엔자, 디프테리아, 폴리오, b형헤모필루스인플루엔자, 발진티푸스, 공수병, 황열, 웨스트나일열, 진드기매개뇌염

§ 최근 5년(2017~2021년)의 해당 주의 신고 건수와 이전 2주, 이후 2주 동안의 신고 건수(총 25주) 평균임

2. 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제2급감염병											
	결핵			수두			홍역			콜레라		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡
전국	360	15,945	22,402	421	17,504	58,804	0	0	43	0	0	0
서울	64	2,679	3,993	50	2,308	7,061	0	0	5	0	0	0
부산	30	1,043	1,500	25	1,046	3,013	0	0	1	0	0	0
대구	20	787	1,056	16	762	3,026	0	0	3	0	0	0
인천	23	812	1,176	9	841	3,076	0	0	2	0	0	0
광주	7	353	552	12	609	2,232	0	0	0	0	0	0
대전	3	373	495	15	524	1,608	0	0	5	0	0	0
울산	7	281	448	10	465	1,535	0	0	1	0	0	0
세종	1	53	83	5	201	668	0	0	15	0	0	0
경기	87	3,547	4,892	138	5,217	16,482	0	0	0	0	0	0
강원	13	695	950	14	455	1,430	0	0	1	0	0	0
충북	7	488	688	8	456	1,705	0	0	0	0	0	0
충남	13	829	1,079	17	708	2,174	0	0	1	0	0	0
전북	6	630	868	13	617	2,516	0	0	1	0	0	0
전남	16	900	1,202	16	628	2,371	0	0	3	0	0	0
경북	24	1,266	1,633	24	922	3,186	0	0	3	0	0	0
경남	34	1,015	1,486	47	1,503	5,306	0	0	2	0	0	0
제주	5	194	299	2	242	1,415	0	0	0	0	0	0

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제2급감염병											
	장티푸스			파라티푸스			세균성이질			장출혈성대장균감염증		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡
전국	0	41	102	4	36	51	0	33	94	6	208	164
서울	0	9	18	1	5	8	0	3	25	1	25	23
부산	0	4	10	2	3	7	0	3	7	0	10	5
대구	0	1	3	0	2	3	0	0	6	0	6	7
인천	0	4	6	0	5	2	0	3	6	0	11	9
광주	0	0	2	0	1	2	0	0	3	0	38	17
대전	0	2	3	0	0	1	0	2	2	0	5	4
울산	0	0	4	0	0	0	0	0	1	0	3	5
세종	0	0	1	0	0	0	0	0	0	0	1	2
경기	0	10	24	0	12	12	0	10	19	0	34	46
강원	0	0	5	0	2	2	0	0	2	0	6	6
충북	0	0	3	0	0	1	0	1	1	0	3	4
충남	0	1	4	0	0	1	0	1	5	0	9	4
전북	0	4	2	0	0	2	0	4	2	0	9	3
전남	0	1	3	0	3	3	0	2	5	0	11	10
경북	0	2	4	0	0	2	0	1	5	0	12	8
경남	0	3	8	0	2	4	0	3	3	2	13	5
제주	0	0	2	1	1	1	0	0	2	3	12	6

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제2급감염병											
	A형간염			백일해			유행성이하선염			풍진		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균V	금주	2022년 누계	5년 누계 평균V	금주	2022년 누계	5년 누계 평균‡
전국	20	1,856	6,868	1	30	371	115	6,058	13,917	0	0	3
서울	4	362	1,352	0	2	46	18	782	1,668	0	0	1
부산	2	62	163	0	0	32	8	319	777	0	0	0
대구	0	57	92	0	3	14	4	250	588	0	0	0
인천	2	123	510	0	2	23	6	318	700	0	0	0
광주	1	42	98	0	0	19	1	181	477	0	0	0
대전	0	42	670	0	0	9	5	173	416	0	0	0
울산	0	16	38	0	0	12	3	189	439	0	0	0
세종	0	13	103	0	0	6	0	55	93	0	0	0
경기	6	615	2,215	0	4	60	37	1,737	3,934	0	0	1
강원	0	42	132	0	1	3	3	211	492	0	0	0
충북	1	82	334	0	3	9	2	149	366	0	0	0
충남	1	116	533	1	2	7	5	289	614	0	0	0
전북	0	112	255	0	1	8	3	233	614	0	0	0
전남	1	39	94	0	1	21	4	313	603	0	0	0
경북	0	61	126	0	3	24	6	274	716	0	0	1
경남	2	42	104	0	8	75	10	500	1,195	0	0	0
제주	0	30	49	0	0	3	0	85	225	0	0	0

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제2급감염병						제3급감염병					
	수막구균 감염증			성홍열			파상풍			B형간염		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡
전국	0	0	9	15	486	9,466	0	25	27	5	325	381
서울	0	0	3	4	79	1,305	0	3	3	0	51	65
부산	0	0	0	1	22	652	0	2	2	0	13	26
대구	0	0	0	0	7	286	0	0	2	0	17	13
인천	0	0	1	0	17	467	0	0	1	0	22	21
광주	0	0	0	0	27	483	0	1	1	1	9	8
대전	0	0	0	3	37	358	0	1	1	0	15	12
울산	0	0	0	1	16	383	0	0	0	0	4	8
세종	0	0	0	0	3	58	0	1	0	0	2	1
경기	0	0	3	4	169	2,736	0	5	3	2	105	101
강원	0	0	1	0	15	170	0	0	0	0	7	14
충북	0	0	0	1	8	185	0	0	1	0	9	13
충남	0	0	0	0	23	401	0	4	3	2	10	19
전북	0	0	0	0	7	343	0	2	2	0	18	17
전남	0	0	0	0	20	350	0	4	3	0	10	16
경북	0	0	0	1	14	471	0	1	3	0	10	19
경남	0	0	1	0	17	687	0	1	2	0	16	24
제주	0	0	0	0	5	131	0	0	0	0	7	4

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제3급감염병											
	일본뇌염			말라리아			레지오넬라증			비브리오패혈증		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡
전국	0	7	18	0	407	465	3	400	333	1	46	50
서울	0	2	4	0	57	69	1	80	88	0	3	7
부산	0	0	0	0	8	6	0	17	16	0	3	4
대구	0	1	1	0	2	5	1	22	13	0	2	1
인천	0	1	1	0	61	68	0	28	24	0	3	4
광주	0	0	1	0	0	5	0	16	8	0	0	1
대전	0	0	0	0	7	3	0	7	3	0	0	0
울산	0	0	0	0	3	3	0	0	3	0	0	1
세종	0	0	0	0	1	1	0	0	0	0	0	0
경기	0	0	5	0	235	262	0	100	79	0	13	9
강원	0	1	1	0	13	12	0	8	10	0	1	0
충북	0	1	1	0	4	4	0	9	12	0	0	1
충남	0	0	1	0	3	8	0	11	9	0	2	4
전북	0	0	0	0	2	3	0	3	8	1	3	2
전남	0	0	1	0	4	3	0	27	14	0	7	7
경북	0	1	1	0	3	5	0	16	21	0	2	1
경남	0	0	1	0	3	6	0	19	11	0	7	7
제주	0	0	0	0	1	2	1	37	14	0	0	1

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제3급감염병											
	발진열			프프가무시증			렙토스피라증			브루셀라증		
	금주	2022년 누계	5년 누계 평균†	금주	2022년 누계	5년 누계 평균†	금주	2022년 누계	5년 누계 평균†	금주	2022년 누계	5년 누계 평균†
전국	0	14	10	114	5,992	6,208	3	65	119	0	8	4
서울	0	1	1	2	138	165	0	3	6	0	0	1
부산	0	0	0	7	393	438	0	2	8	0	0	0
대구	0	1	0	3	132	136	1	2	2	0	0	0
인천	0	0	1	1	62	59	0	0	2	0	0	0
광주	0	0	1	4	174	167	0	2	4	0	0	0
대전	0	0	0	2	175	171	0	2	3	0	0	0
울산	0	1	2	4	285	279	0	0	2	0	0	0
세종	0	0	0	0	46	36	0	1	1	0	0	0
경기	0	9	1	6	372	414	1	7	15	0	1	1
강원	0	0	0	0	25	36	0	1	6	0	0	0
충북	0	0	0	1	115	140	0	3	7	0	1	0
충남	0	0	0	7	634	700	1	11	18	0	1	0
전북	0	0	1	0	680	640	0	8	8	0	0	1
전남	0	0	1	28	970	1,037	0	13	10	0	2	1
경북	0	0	0	9	433	424	0	5	14	0	0	0
경남	0	1	1	38	1,305	1,286	0	5	13	0	3	0
제주	0	1	1	2	53	80	0	0	0	0	0	0

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고병위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제3급감염병											
	신증후군출혈열			크로이츠펔트-야콥병(CJD)			맹기열			큐열		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡
전국	8	283	373	0	26	52	2	84	126	1	104	105
서울	1	4	12	0	6	12	0	26	37	0	1	7
부산	0	10	13	0	3	4	0	5	7	0	0	2
대구	1	6	5	0	1	2	0	0	6	0	5	2
인천	1	3	6	0	0	2	0	8	8	0	1	2
광주	0	6	7	0	1	1	0	1	1	0	9	4
대전	0	10	3	0	1	2	0	4	2	0	7	5
울산	0	2	2	0	1	2	0	2	4	0	1	2
세종	0	3	1	0	1	0	0	1	0	0	1	0
경기	2	47	56	0	7	14	1	17	38	0	11	13
강원	0	8	19	0	1	2	1	4	2	0	3	0
충북	0	10	16	0	0	1	0	1	2	0	15	21
충남	0	29	53	0	0	1	0	2	4	0	17	14
전북	0	28	54	0	1	2	0	3	3	0	6	7
전남	2	64	62	0	0	2	0	1	2	0	7	13
경북	0	19	34	0	2	2	0	3	3	0	7	6
경남	1	31	28	0	1	3	0	5	5	1	12	7
제주	0	3	2	0	0	0	0	1	2	0	1	0

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

2. (계속) 지역별 보고 현황(2022. 12. 10. 기준)(50주차)*

단위 : 보고환자수†

지역	제3급감염병								
	라임병			중증열성혈소판감소증후군(SFTS)			지카바이러스감염증		
	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡	금주	2022년 누계	5년 누계 평균‡
전국	0	16	19	0	191	232	0	2	-
서울	0	3	5	0	5	12	0	0	-
부산	0	0	0	0	5	2	0	0	-
대구	0	0	0	0	11	9	0	0	-
인천	0	1	3	0	4	3	0	0	-
광주	0	0	0	0	8	1	0	0	-
대전	0	0	1	0	3	3	0	1	-
울산	0	1	0	0	2	6	0	0	-
세종	0	0	0	0	3	1	0	0	-
경기	0	5	4	0	23	44	0	1	-
강원	0	0	1	0	28	30	0	0	-
충북	0	1	0	0	15	6	0	0	-
충남	0	2	2	0	13	23	0	0	-
전북	0	1	1	0	9	12	0	0	-
전남	0	1	0	0	14	13	0	0	-
경북	0	0	1	0	23	32	0	0	-
경남	0	1	1	0	14	22	0	0	-
제주	0	0	0	0	11	13	0	0	-

* 2022년 통계는 변동가능한 잠정통계임

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함함

‡ 최근 5년(2017~2021년)의 1주부터 해당 주까지 누계의 평균임

II. 환자감시 : 표본감시 감염병 주간 발생 현황

1. 인플루엔자 주간 발생 현황(50주차, 2022. 12. 10. 기준)

- 외래환자 1,000명당 의사환자분율: 30.3명(=3.03%)
- 변동(주간): 2022년 49주차(17.3명) 대비 증가
- 표본보고기관: 197개 의료기관
- ※ 2022~2023절기 유행기준: 4.9명/(1,000)




그림 1. 외래 환자 1,000명당 인플루엔자 의사환자 발생 현황

2. 수족구 발생 주간 현황(50주차, 2022. 12. 10. 기준)

- 외래환자 1,000명당 의사환자분율: 1.8명
- 변동(주간): 2022년 49주차(2.0명) 대비 감소
- 표본보고기관: 전국 110개 의료기관




그림 2. 외래 환자 1,000명당 수족구 발생 현황

3. 안과 감염병 주간 발생 현황(50주차, 2022. 12. 10. 기준)

- 외래환자 1,000명당 유행성각결막염 의사환자분율: 3.4명
- 변동(주간): 2022년 49주차(3.7명) 대비 감소
- 표본보고기관: 전국 91개 의료기관




그림 3. 외래 환자 1,000명당 유행성각결막염 발생 현황

- 외래환자 1,000명당 급성출혈성결막염 의사환자분율: 0.2명
- 변동(주간): 2022년 49주차(0.2명) 대비 동일
- 표본보고기관: 전국 91개 의료기관




그림 4. 외래 환자 1,000명당 급성출혈성결막염 발생 현황

4. 성매개감염병 주간 발생 현황(50주차, 2022. 12. 10. 기준)

- 보고기관 당 환자수: 사람유두종바이러스 감염증 3.5건, 성기단순포진 2.4건, 침균콘딜롬 1.8건, 클라미디아감염증 1.9건, 임질 1.1건, 1기 매독 0.0건, 2기 매독 0.0건, 선천성 매독 0.0건을 신고함
- 변동(주간): **증가** 침균콘딜롬(1.6→1.8), 사람유두종바이러스 감염증(3.4→3.5)
동일 임질(1.1→1.1), 클라미디아 감염증(1.9→1.9), 성기단순포진(2.4→2.4), 선천성 매독(0.0→0.0)
감소 1기 매독(1.5→0.0), 2기 매독(1.3→0.0)
- 표본보고기관: 전국 579개 의료기관
- ※ 제50주차 신고의료기관 수: 임질 7개, 클라미디아감염증 40개, 성기단순포진 48개, 침균콘딜롬 28개, 사람유두종바이러스 감염증 46개, 1기 매독 0개, 2기 매독 0개, 선천성 매독 0개

단위 : 보고기관 당 환자수

임질			클라미디아 감염증			성기단순포진			침균콘딜롬		
금주	2022년 누적	최근 5년 누적 평균 [§]	금주	2022년 누적	최근 5년 누적 평균 [§]	금주	2022년 누적	최근 5년 누적 평균 [§]	금주	2022년 누적	최근 5년 누적 평균 [§]
1.1	6.1	8.8	1.9	23.7	31.3	2.4	48.3	44.0	1.8	21.6	24.0

사람유두종바이러스감염증			1기 매독			2기 매독			선천성 매독		
금주	2022년 누적	최근 5년 누적 평균 [§]	금주	2022년 누적	최근 5년 누적 평균 [§]	금주	2022년 누적	최근 5년 누적 평균 [§]	금주	2022년 누적	최근 5년 누적 평균 [§]
3.5	91.2	35.1	0.0	2.7	1.0	0.0	2.8	1.1	0.0	1.4	0.4

누계 : 매년 첫 주부터 금주까지의 보고 누계

† 각 질병별로 규정된 신고 범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함

§ 최근 5년('17-'21) 누적 평균(Cum. 5-year average) : 최근 5년 1주차부터 금주까지 누적 환자 수 평균

Ⅲ. 수인성 및 식품매개 감염병 주간 발생 현황

1. 수인성 및 식품매개 감염병 집단발생 주간 현황(50주차, 2022. 12. 10. 기준)

- 수인성 및 식품매개 감염병 집단발생: 9건, 101명(금년 누적 발생: 459건, 6,545명)
- 변동(주간): 2022년 49주차(9건) 대비 동일
- 표본보고기관: 전국 254개 보건소




그림 5. 수인성 및 식품매개 감염병 집단발생 현황

IV. 병원체감시 : 인플루엔자 및 호흡기바이러스

1. 인플루엔자 바이러스 주간 현황(50주차, 2022. 12. 10. 기준)

- 인플루엔자 양성률: 9.82%(33건 양성 / 336 검체)
[인플루엔자 아형: A(H1N1)pdm09 0건, A(H3N2) 33건, B 0건]
- 변동(주간): 2022년 49주차(8.3%, 26건 양성 / 312 검체) 대비 증가
- 표본보고기관: 77개 의료기관




그림 6. 인플루엔자 바이러스 검출 현황

2. 호흡기 바이러스 주간 현황(50주차, 2022. 12. 10. 기준)

- 호흡기바이러스 양성률: 64.9%(금주 및 최근 3주 누적 분율: 66.0% / 1,217 검체)
- 변동(주간): 2022년 49주차(69.9%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 77개 의료기관
- ※ 주별 통계는 잠정통계이므로 변동 가능

2022 (주)	주별		검출률 (%)							
	검체 건수	검출률 (%)	아데노 바이러스	파라 인플루엔자 바이러스	호흡기 세포융합 바이러스	인플루엔자 바이러스	코로나 바이러스	리노 바이러스	보카 바이러스	메타뉴모 바이러스
47	298	66.8	3.7	11.7	6.4	10.1	4.4	16.4	3.0	11.1
48	271	62.0	5.2	19.6	2.6	7.4	2.2	15.5	3.3	6.3
49	312	69.9	5.1	23.7	3.5	8.3	5.1	13.1	6.1	4.8
50	336	64.9	4.8	23.2	3.3	9.8	6.5	12.2	2.1	3.0
4주 누적※	1,217	66.0	4.7	19.7	3.9	9.0	4.7	14.2	3.6	6.2
2022년 누적▽	4,619	65.1	6.8	12.9	1.9	0.0	0.3	34.1	9.2	0.0

※ 4주 누적: 2022년 11월 13일 - 2022년 12월 10일 검출률임 (지난 4주간 평균 304개의 검체에서 검출된 수의 평균).

▽ 2021년 누적: 2020년 12월 27일 - 2021년 12월 25일 검출률임.

V. 병원체감시 : 급성 설사질환 바이러스 및 세균

1. 급성설사 바이러스 주간 검출 현황(49주차, 2022. 12. 03. 기준)

- 급성설사 바이러스 검출률: 29.3%(12건 양성 / 41 검체) [2022년 누적분율: 39.1% (1,270건 양성 / 3,248 검체)]
- 변동(주간): 2022년 48주차(21.0%) 대비 증가
- 표본보고기관: 18개 시·도 보건환경연구원 및 72개 의료기관

주	검체수		검출 건수(검출률, %)					합계
			노로바이러스	그룹 A 로타바이러스	장내 아데노바이러스	아스트로바이러스	사포바이러스	
2022	46	57	10 (17.5)	0 (0.0)	1 (1.8)	3 (5.3)	4 (7.0)	18 (31.6)
	47	51	6 (11.8)	0 (0.0)	3 (5.9)	1 (2.0)	2 (3.9)	12 (23.5)
	48	62	10 (16.1)	0 (0.0)	1 (1.6)	0 (0.0)	2 (3.2)	13 (21.0)
	49	41	7 (17.1)	1 (2.4)	0 (0.0)	2 (4.9)	2 (4.9)	12 (29.3)
2022년 누적		3,248	754 (23.2)	29 (0.9)	226 (7.0)	134 (4.1)	127 (3.9)	1,270 (39.1)

* 검체는 5세 이하 아동의 급성설사 질환자에게서 수집됨.

2. 급성설사 세균 주간 검출 현황(49주차, 2022. 12. 03. 기준)

- 급성설사 세균 검출률: 9.6%(19건 양성 / 197 검체) [2022년 누적분율: 19.2%(2,025건 양성 / 10,568 검체)]
- 변동(주간): 2022년 48주차(13.2%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 72개 의료기관

주	검체수		분리 건수(분리율, %)									합계
			살모넬라균	병원성 대장균	세균성 이질균	장염 비브리오균	비브리오 콜레라균	캠필로 박터균	클라스트리듐 퍼프린젠스	황색 포도알균	바실러스 세레우스균	
2022	46	260	13 (5.0)	11 (4.2)	0 (0.0)	1 (0.4)	0 (0.0)	5 (1.9)	8 (3.1)	13 (5.0)	3 (1.2)	55 (21.2)
	47	233	4 (1.7)	7 (3.0)	0 (0.0)	1 (0.4)	0 (0.0)	4 (1.7)	2 (0.9)	3 (1.3)	14 (6.0)	36 (15.5)
	48	258	9 (3.5)	5 (1.9)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.8)	9 (3.5)	6 (2.3)	3 (1.2)	34 (13.2)
	49	197	0 (0.0)	2 (1.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (2.0)	4 (2.0)	5 (2.5)	4 (2.0)	19 (9.6)
2022년 누적		10,568	375 (3.5)	535 (5.1)	0 (0.0)	4 (0.04)	0 (0.0)	201 (1.9)	268 (2.5)	376 (3.6)	245 (2.3)	2,025 (19.2)

* 2022년 실험실 감시체계 참여기관(72개 의료기관)

VI. 병원체감시 : 엔테로바이러스

1. 엔테로바이러스 주간 검출 현황(49주차, 2022. 12. 03. 기준)

- 엔테로바이러스 검출률: 0.0%(0건 양성 / 3 검체) [2022년 누적분율: 50.0%(342건 양성 / 684 검체)]
 - 무균성수막염: 0건 (2022년 누계: 6건)
 - 수족구병 및 포진성구협염: 0건 (2022년 누계: 308건)
 - 합병증 동반 수족구: 0건 (2022년 누계: 1건)
 - 기타: 0건 (2022년 누계: 27건)
- 변동(주간): 2022년 48주차(16.7%) 대비 감소
- 표본보고기관: 17개 시·도 보건환경연구원 및 67개 의료기관




그림 7. 무균성수막염 바이러스 검출수




그림 8. 수족구 및 포진성구협염 바이러스 검출수




그림 9. 합병증 동반 수족구 바이러스 검출수

VIII. 매개체감시 : 프프가무시증 매개털진드기

1. 프프가무시증 매개털진드기 주간 검출 현황(50주차, 2022. 12. 10. 기준)

- 프프가무시증 매개털진드기 트랩지수 : 0.55
- 변동 : 평년 평균(0.81) 대비 0.26 감소, 전년(1.26) 대비 0.71 낮음, 2022년 49주차(0.89) 대비 0.34 감소
- 표본보고기관 : 9개 시·도(18개 지점)

※ 털진드기 트랩지수 : 18개 지점에서 7일간 채집된 털진드기의 수를 트랩당 개체수(개체수/트랩수)로 환산




그림 11. 프프가무시증 매개털진드기 검출수

주요 통계 이해하기

〈통계표 1〉은 지난 5년간 발생한 법정감염병과 2022년 해당 주 발생현황을 비교한 표로, **금주 환자 수(Current week)**는 2022년 해당 주의 신고 건수를 나타내며, **2022년 누계 환자 수(Cum. 2022)**는 2022년 1주부터 해당 주까지의 누계 건수, 그리고 **5년 주 평균 환자 수(5-year weekly average)**는 지난 5년(2017-2021년) 해당 주의 신고 건수와 이전 2주, 이후 2주의 신고 건수(총 25주) 평균으로 계산된다. 그러므로 금주 환자 수(Current week)와 5년 주 평균 환자 수(5-year weekly average)의 신고 건수를 비교하면 해당 주 단위 시점과 예년의 신고 수준을 비교해 볼 수 있다. 연도별 환자 수(Total no. of cases by year)는 지난 5년간 해당 감염병 현황을 나타내는 확정 통계이며 연도별 현황을 비교해 볼 수 있다.

예) 2022년 12주의 5년 주 평균 환자 수(5-year weekly average)는 2017년부터 2021년의 10주부터 14주까지의 신고 건수를 총 25주로 나눈 값으로 구해진다.

$$* 5년 주 평균 환자 수(5-year weekly average) = (X1 + X2 + \dots + X25) / 25$$

	10주	11주	12주	13주	14주
2022년			해당 주		
2021년	X1	X2	X3	X4	X5
2020년	X6	X7	X8	X9	X10
2019년	X11	X12	X13	X14	X15
2018년	X16	X17	X18	X19	X20
2017년	X21	X22	X23	X24	X25

〈통계표 2〉는 17개 시·도 별로 구분한 법정감염병 보고 현황을 보여 주고 있으며, 각 감염병별로 최근 5년 누계 평균 환자 수(Cum, 5-year average)와 2022년 누계 환자 수(Cum, 2022)를 비교해 보면 최근까지의 누적 신고 건수에 대한 이전 5년 동안 해당 주까지의 평균 신고 건수와 비교가 가능하다. 최근 5년 누계 평균 환자 수(Cum, 5-year average)는 지난 5년(2017-2021년) 동안의 동기간 신고 누계 평균으로 계산된다.

기타 표본감시 감염병에 대한 신고현황 그림과 통계는 최근 발생양상을 신속하게 파악하는데 도움이 된다.

I . National Notifiable Infectious Diseases

1. Reported cases, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Classification of disease [†]		Current week	Cum. 2022	5-year weekly average [§]	Total no. of cases by year					Imported cases of current week : Country (no. of cases)
					2021	2020	2019	2018	2017	
Category II										
	Tuberculosis	360	15,945	449	18,335	19,933	23,821	26,433	28,161	
	Varicella	421	17,504	1,885	20,929	31,430	82,868	96,467	80,092	
	Measles	0	0	0	0	6	194	15	7	
	Cholera	0	0	0	0	0	1	2	5	
	Typhoid fever	0	41	2	61	39	94	213	128	
	Paratyphoid fever	4	36	1	29	58	55	47	73	
	Shigellosis	0	33	2	18	29	151	191	112	
	EHEC	6	208	1	165	270	146	121	138	
	Viral hepatitis A	20	1,856	69	6,583	3,989	17,598	2,437	4,419	
	Pertussis	1	30	9	21	123	496	980	318	
	Mumps	115	6,058	230	9,708	9,922	15,967	19,237	16,924	
	Rubella	0	0	0	0	0	8	0	7	
	Meningococcal disease	0	0	0	2	5	16	14	17	
	Pneumococcal disease	7	329	11	269	345	526	670	523	
	Hansen’s disease	0	1	0	5	3	4			
	Scarlet fever	15	486	176	678	2,300	7,562	15,777	22,838	
	VRSA	0	1	0	2	9	3	0	0	
	CRE	454	28,754	284	23,311	18,113	15,369	11,954	5,717	
	Viral hepatitis E	5	470	–	494	191	–	–	–	
Category III										
	Tetanus	0	25	0	21	30	31	31	34	
	Viral hepatitis B	5	325	8	453	382	389	392	391	
	Japanese encephalitis	0	7	0	23	7	34	17	9	
	Viral hepatitis C	113	7,918	197	10,115	11,849	9,810	10,811	6,396	
	Malaria	0	407	1	294	385	559	576	515	
	Legionellosis	3	400	6	383	368	501	305	198	
	<i>Vibrio vulnificus</i> sepsis	1	46	0	52	70	42	47	46	
	Murine typhus	0	14	0	9	1	14	16	18	
	Scrub typhus	114	5,992	179	5,915	4,479	4,005	6,668	10,528	
	Leptospirosis	3	65	3	144	114	138	118	103	
	Brucellosis	0	8	0	4	8	1	5	6	
	HFRS	8	283	11	310	270	399	433	531	
	HIV/AIDS	15	773	18	773	818	1,006	989	1,008	
	CJD	0	26	1	67	64	53	53	36	
	Dengue fever	2	84	2	3	43	273	159	171	Indonesia (2)
	Q fever	1	104	1	46	69	162	163	96	
	Lyme Borreliosis	0	16	0	8	18	23	23	31	
	Melioidosis	0	0	0	2	1	8	2	2	
	Chikungunya fever	0	5	0	0	1	16	3	5	
	SFTS	0	191	0	172	243	223	259	272	
	Zika virus infection	0	2	0	0	1	3	3	11	

Abbreviation: EHEC= Enterohemorrhagic Escherichia coli, VRSA= Vancomycin-resistant Staphylococcus aureus, CRE= Carbapenem-resistant Enterobacteriaceae, HFRS= Hemorrhagic fever with renal syndrome, CJD= Creutzfeldt-Jacob Disease, SFTS= Severe fever with thrombocytopenia syndrome.

Cum: Cumulative counts from 1st week to current week in a year.

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ The reported surveillance data excluded no incidence data such as Ebola virus disease, Marburg Hemorrhagic fever, Lassa fever, Crimean Congo Hemorrhagic fever, South American Hemorrhagic fever, Rift Valley fever, Smallpox, Plague, Anthrax, Botulism, Tularemia, Newly emerging infectious disease syndrome, Severe Acute Respiratory Syndrome, Middle East Respiratory Syndrome, Human infection with zoonotic influenza, Novel Influenza, Diphtheria, Poliomyelitis, Haemophilus influenza type b, Epidemic typhus, Rabies, Yellow fever, West Nile fever and Tick-borne Encephalitis.

2. Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases†

Reporting area	Diseases of Category II											
	Tuberculosis			Varicella			Measles			Cholera		
	Current week	Cum. 2022	Cum. 5-year average‡	Current week	Cum. 2022	Cum. 5-year average‡	Current week	Cum. 2022	Cum. 5-year average‡	Current week	Cum. 2022	Cum. 5-year average‡
Overall	360	15,945	22,402	421	17,504	58,804	0	0	43	0	0	0
Seoul	64	2,679	3,993	50	2,308	7,061	0	0	5	0	0	0
Busan	30	1,043	1,500	25	1,046	3,013	0	0	1	0	0	0
Daegu	20	787	1,056	16	762	3,026	0	0	3	0	0	0
Incheon	23	812	1,176	9	841	3,076	0	0	2	0	0	0
Gwangju	7	353	552	12	609	2,232	0	0	0	0	0	0
Daejeon	3	373	495	15	524	1,608	0	0	5	0	0	0
Ulsan	7	281	448	10	465	1,535	0	0	1	0	0	0
Sejong	1	53	83	5	201	668	0	0	15	0	0	0
Gyeonggi	87	3,547	4,892	138	5,217	16,482	0	0	0	0	0	0
Gangwon	13	695	950	14	455	1,430	0	0	1	0	0	0
Chungbuk	7	488	688	8	456	1,705	0	0	0	0	0	0
Chungnam	13	829	1,079	17	708	2,174	0	0	1	0	0	0
Jeonbuk	6	630	868	13	617	2,516	0	0	1	0	0	0
Jeonnam	16	900	1,202	16	628	2,371	0	0	3	0	0	0
Gyeongbuk	24	1,266	1,633	24	922	3,186	0	0	3	0	0	0
Gyeongnam	34	1,015	1,486	47	1,503	5,306	0	0	2	0	0	0
Jeju	5	194	299	2	242	1,415	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Typhoid fever			Paratyphoid fever			Shigellosis			Enterohemorrhagic <i>Escherichia coli</i>		
	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]
Overall	0	41	102	4	36	51	0	33	94	6	208	164
Seoul	0	9	18	1	5	8	0	3	25	1	25	23
Busan	0	4	10	2	3	7	0	3	7	0	10	5
Daegu	0	1	3	0	2	3	0	0	6	0	6	7
Incheon	0	4	6	0	5	2	0	3	6	0	11	9
Gwangju	0	0	2	0	1	2	0	0	3	0	38	17
Daejeon	0	2	3	0	0	1	0	2	2	0	5	4
Ulsan	0	0	4	0	0	0	0	0	1	0	3	5
Sejong	0	0	1	0	0	0	0	0	0	0	1	2
Gyeonggi	0	10	24	0	12	12	0	10	19	0	34	46
Gangwon	0	0	5	0	2	2	0	0	2	0	6	6
Chungbuk	0	0	3	0	0	1	0	1	1	0	3	4
Chungnam	0	1	4	0	0	1	0	1	5	0	9	4
Jeonbuk	0	4	2	0	0	2	0	4	2	0	9	3
Jeonnam	0	1	3	0	3	3	0	2	5	0	11	10
Gyeongbuk	0	2	4	0	0	2	0	1	5	0	12	8
Gyeongnam	0	3	8	0	2	4	0	3	3	2	13	5
Jeju	0	0	2	1	1	1	0	0	2	3	12	6

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Viral hepatitis A			Pertussis			Mumps			Rubella		
	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]
Overall	20	1,856	6,868	1	30	371	115	6,058	13,917	0	0	3
Seoul	4	362	1,352	0	2	46	18	782	1,668	0	0	1
Busan	2	62	163	0	0	32	8	319	777	0	0	0
Daegu	0	57	92	0	3	14	4	250	588	0	0	0
Incheon	2	123	510	0	2	23	6	318	700	0	0	0
Gwangju	1	42	98	0	0	19	1	181	477	0	0	0
Daejeon	0	42	670	0	0	9	5	173	416	0	0	0
Ulsan	0	16	38	0	0	12	3	189	439	0	0	0
Sejong	0	13	103	0	0	6	0	55	93	0	0	0
Gyeonggi	6	615	2,215	0	4	60	37	1,737	3,934	0	0	1
Gangwon	0	42	132	0	1	3	3	211	492	0	0	0
Chungbuk	1	82	334	0	3	9	2	149	366	0	0	0
Chungnam	1	116	533	1	2	7	5	289	614	0	0	0
Jeonbuk	0	112	255	0	1	8	3	233	614	0	0	0
Jeonnam	1	39	94	0	1	21	4	313	603	0	0	0
Gyeongbuk	0	61	126	0	3	24	6	274	716	0	0	1
Gyeongnam	2	42	104	0	8	75	10	500	1,195	0	0	0
Jeju	0	30	49	0	0	3	0	85	225	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II						Diseases of Category III					
	Meningococcal disease			Scarlet fever			Tetanus			Viral hepatitis B		
	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]
Overall	0	0	9	15	486	9,466	0	25	27	5	325	381
Seoul	0	0	3	4	79	1,305	0	3	3	0	51	65
Busan	0	0	0	1	22	652	0	2	2	0	13	26
Daegu	0	0	0	0	7	286	0	0	2	0	17	13
Incheon	0	0	1	0	17	467	0	0	1	0	22	21
Gwangju	0	0	0	0	27	483	0	1	1	1	9	8
Daejeon	0	0	0	3	37	358	0	1	1	0	15	12
Ulsan	0	0	0	1	16	383	0	0	0	0	4	8
Sejong	0	0	0	0	3	58	0	1	0	0	2	1
Gyeonggi	0	0	3	4	169	2,736	0	5	3	2	105	101
Gangwon	0	0	1	0	15	170	0	0	0	0	7	14
Chungbuk	0	0	0	1	8	185	0	0	1	0	9	13
Chungnam	0	0	0	0	23	401	0	4	3	2	10	19
Jeonbuk	0	0	0	0	7	343	0	2	2	0	18	17
Jeonnam	0	0	0	0	20	350	0	4	3	0	10	16
Gyeongbuk	0	0	0	1	14	471	0	1	3	0	10	19
Gyeongnam	0	0	1	0	17	687	0	1	2	0	16	24
Jeju	0	0	0	0	5	131	0	0	0	0	7	4

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases†

Reporting area	Diseases of Category III											
	Japanese encephalitis			Malaria			Legionellosis			Vibrio vulnificus sepsis		
	Current week	Cum. 2022	Cum. 5-year average‡	Current week	Cum. 2022	Cum. 5-year average‡	Current week	Cum. 2022	Cum. 5-year average‡	Current week	Cum. 2022	Cum. 5-year average‡
Overall	0	7	18	0	407	465	3	400	333	1	46	50
Seoul	0	2	4	0	57	69	1	80	88	0	3	7
Busan	0	0	0	0	8	6	0	17	16	0	3	4
Daegu	0	1	1	0	2	5	1	22	13	0	2	1
Incheon	0	1	1	0	61	68	0	28	24	0	3	4
Gwangju	0	0	1	0	0	5	0	16	8	0	0	1
Daejeon	0	0	0	0	7	3	0	7	3	0	0	0
Ulsan	0	0	0	0	3	3	0	0	3	0	0	1
Sejong	0	0	0	0	1	1	0	0	0	0	0	0
Gyeonggi	0	0	5	0	235	262	0	100	79	0	13	9
Gangwon	0	1	1	0	13	12	0	8	10	0	1	0
Chungbuk	0	1	1	0	4	4	0	9	12	0	0	1
Chungnam	0	0	1	0	3	8	0	11	9	0	2	4
Jeonbuk	0	0	0	0	2	3	0	3	8	1	3	2
Jeonnam	0	0	1	0	4	3	0	27	14	0	7	7
Gyeongbuk	0	1	1	0	3	5	0	16	21	0	2	1
Gyeongnam	0	0	1	0	3	6	0	19	11	0	7	7
Jeju	0	0	0	0	1	2	1	37	14	0	0	1

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years. ▮

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Murine typhus			Scrub typhus			Leptospirosis			Brucellosis		
	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]
Overall	0	14	10	114	5,992	6,208	3	65	119	0	8	4
Seoul	0	1	1	2	138	165	0	3	6	0	0	1
Busan	0	0	0	7	393	438	0	2	8	0	0	0
Daegu	0	1	0	3	132	136	1	2	2	0	0	0
Incheon	0	0	1	1	62	59	0	0	2	0	0	0
Gwangju	0	0	1	4	174	167	0	2	4	0	0	0
Daejeon	0	0	0	2	175	171	0	2	3	0	0	0
Ulsan	0	1	2	4	285	279	0	0	2	0	0	0
Sejong	0	0	0	0	46	36	0	1	1	0	0	0
Gyeonggi	0	9	1	6	372	414	1	7	15	0	1	1
Gangwon	0	0	0	0	25	36	0	1	6	0	0	0
Chungbuk	0	0	0	1	115	140	0	3	7	0	1	0
Chungnam	0	0	0	7	634	700	1	11	18	0	1	0
Jeonbuk	0	0	1	0	680	640	0	8	8	0	0	1
Jeonnam	0	0	1	28	970	1,037	0	13	10	0	2	1
Gyeongbuk	0	0	0	9	433	424	0	5	14	0	0	0
Gyeongnam	0	1	1	38	1,305	1,286	0	5	13	0	3	0
Jeju	0	1	1	2	53	80	0	0	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Hemorrhagic fever with renal syndrome			Creutzfeldt–Jacob Disease			Dengue fever			Q fever		
	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]
Overall	8	283	373	0	26	52	2	84	126	1	104	105
Seoul	1	4	12	0	6	12	0	26	37	0	1	7
Busan	0	10	13	0	3	4	0	5	7	0	0	2
Daegu	1	6	5	0	1	2	0	0	6	0	5	2
Incheon	1	3	6	0	0	2	0	8	8	0	1	2
Gwangju	0	6	7	0	1	1	0	1	1	0	9	4
Daejeon	0	10	3	0	1	2	0	4	2	0	7	5
Ulsan	0	2	2	0	1	2	0	2	4	0	1	2
Sejong	0	3	1	0	1	0	0	1	0	0	1	0
Gyeonggi	2	47	56	0	7	14	1	17	38	0	11	13
Gangwon	0	8	19	0	1	2	1	4	2	0	3	0
Chungbuk	0	10	16	0	0	1	0	1	2	0	15	21
Chungnam	0	29	53	0	0	1	0	2	4	0	17	14
Jeonbuk	0	28	54	0	1	2	0	3	3	0	6	7
Jeonnam	2	64	62	0	0	2	0	1	2	0	7	13
Gyeongbuk	0	19	34	0	2	2	0	3	3	0	7	6
Gyeongnam	1	31	28	0	1	3	0	5	5	1	12	7
Jeju	0	3	2	0	0	0	0	1	2	0	1	0

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.[‡] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

2. (Continued) Reported cases by geography, week ending December 10, 2022 (50th week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III								
	Lyme Borreliosis			Severe fever with thrombocytopenia syndrome			Zika virus infection		
	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]	Current week	Cum. 2022	Cum. 5-year average [‡]
Overall	0	16	19	0	191	232	0	2	–
Seoul	0	3	5	0	5	12	0	0	–
Busan	0	0	0	0	5	2	0	0	–
Daegu	0	0	0	0	11	9	0	0	–
Incheon	0	1	3	0	4	3	0	0	–
Gwangju	0	0	0	0	8	1	0	0	–
Daejeon	0	0	1	0	3	3	0	1	–
Ulsan	0	1	0	0	2	6	0	0	–
Sejong	0	0	0	0	3	1	0	0	–
Gyeonggi	0	5	4	0	23	44	0	1	–
Gangwon	0	0	1	0	28	30	0	0	–
Chungbuk	0	1	0	0	15	6	0	0	–
Chungnam	0	2	2	0	13	23	0	0	–
Jeonbuk	0	1	1	0	9	12	0	0	–
Jeonnam	0	1	0	0	14	13	0	0	–
Gyeongbuk	0	0	1	0	23	32	0	0	–
Gyeongnam	0	1	1	0	14	22	0	0	–
Jeju	0	0	0	0	11	13	0	0	–

Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2021, 2022 are provisional but the data from 2017 to 2020 are finalized data.

† According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

II. Sentinel-Reporting Infectious Diseases

1. Influenza, weeks ending December 10, 2022 (50th week)

- Weekly proportion of influenza-like illness per 1,000 outpatients: 30.3 cases (=3.03%)
- Variation: increase from 17.3 cases in 49th week of 2022
- Sentinel reporting sites: 197 hospitals/clinics
- ※ 2022–2023 outbreak standard: 4.9 cases (/1,000)




Figure 1. Weekly proportion of influenza-like illness per 1,000 outpatients, 2017–2018 to 2021–2022 flu seasons

2. Hand, Foot and Mouth Disease (HFMD), weeks ending December 10, 2022 (50th week)

- Weekly proportion of hand, foot and mouth disease (HFMD) per 1,000 outpatients: 1.8 cases
- Variation: decrease from 2.0 cases in 49th week of 2022
- Sentinel reporting sites: 110 hospitals/clinics




Figure 2. Weekly proportion of hand, foot and mouth per 1,000 outpatients, 2017–2022

3. Ophthalmologic infectious diseases, weeks ending December 10, 2022 (50th week)

- Weekly proportion of epidemic keratoconjunctivitis per 1,000 outpatients: 3.4 cases
- Variation: decrease from 3.7 cases in 49th week of 2022
- Sentinel reporting sites: 91 hospitals/clinics




Figure 3. Weekly proportion of epidemic keratoconjunctivitis per 1,000 outpatients, 2018–2022

- Weekly proportion of acute hemorrhagic conjunctivitis per 1,000 outpatients: 0.2 case
- Variation: no change from 0.2 case in 49th week of 2022
- Sentinel reporting sites: 91 hospitals/clinics




Figure 4. Weekly proportion of acute hemorrhagic conjunctivitis per 1,000 outpatients, 2018–2022

4. Sexually Transmitted Diseases[†], weeks ending December 10, 2022 (50th week)

- Cases per sentinel: 3.5 for Human Papilloma virus infection, 2.4 for Genital herpes, 1.8 for Condyloma acuminata, 1.9 for Chlamydia, 1.1 for Gonorrhea, 0.0 for Primary Syphilis, 0.0 for Secondary syphilis, 0.0 for Congenital syphilis
- Variation from 50th week of 2022
Increase: Condyloma acuminata (1.6→1.8), Human papilloma virus infection (3.4→3.5)
No change: Gonorrhea (1.1→1.1), Chlamydia (1.9→1.9), Genital herpes (2.4→2.4), Congenital syphilis (0.0→0.0)
Decrease: Primary Syphilis (1.5→0.0), Secondary syphilis (1.3→0.0)
- Sentinel reporting sites: 579 hospitals/clinics
- ※ No. of reported sites in 50th week: 7 for gonorrhea, 40 for chlamydia, 48 for genital herpes, 28 for condyloma acuminata, 46 for human Papilloma virus infection, 0 for primary syphilis, 0 for secondary syphilis, 0 for congenital syphilis

Unit: no. of cases/sentinels

Gonorrhea			Chlamydia			Genital herpes			Condyloma acuminata		
Current week	Cum. 2022	Cum. 5-year average [§]	Current week	Cum. 2022	Cum. 5-year average [§]	Current week	Cum. 2022	Cum. 5-year average [§]	Current week	Cum. 2022	Cum. 5-year average [§]
1.1	6.1	8.8	1.9	23.7	31.3	2.4	48.3	44.0	1.8	21.6	24.0

Human papillomavirus infection			Primary Syphilis			Secondary Syphilis			Congenital Syphilis		
Current week	Cum. 2022	Cum. 5-year average [§]	Current week	Cum. 2022	Cum. 5-year average [§]	Current week	Cum. 2022	Cum. 5-year average [§]	Current week	Cum. 2022	Cum. 5-year average [§]
3.5	91.2	35.1	0.0	2.7	1.0	0.0	2.8	1.1	0.0	1.4	0.4

Cum: Cumulative counts from 1st week to current week in a year

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Added human Papilloma virus infection and syphilis from 1st week of 2020.

III. Waterborne and Foodborne Infectious Diseases

1. Waterborne and foodborne disease outbreaks, weeks ending December 10, 2022 (50th week)

- No. of reported outbreaks: 9 with 101 patients (cumulative no. of outbreaks: 459, 6,545 patients)
- Variation: no change from 9 in 49th week of 2022
- Reporting sites: 254 health centers




Figure 5. Number of waterborne and foodborne disease outbreaks reported by week, 2021–2022

IV. Laboratory-based Pathogen Surveillance: Influenza and Respiratory Viruses

1. Influenza viruses, weeks ending December 10, 2022 (50th week)

- Weekly reported number of specimens positive for influenza: 33 cases (9.82%) / 336 specimens [influenza subtype: A(H1N1)pdm09 0 case, A(H3N2) 33 cases, B 0 case]
- Variation (%p): increase from 26 cases (8.3%) / 312 specimens in 49th week of 2022
- Sentinel reporting sites: 77 hospitals/clinics




Figure 6. Number of specimens positive for influenza by subtype, 2021–2022 flu season

2. Respiratory viruses, weeks ending December 10, 2022 (50th week)

- Detection rate: 64.9% (cumulative mean proportion during preceding three weeks plus current week: 66.0% out of 1,217 specimens)
- Variation (%p): decrease from 69.9% in 49th week of 2022
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 77 hospitals/clinics

2022 (week)	Weekly total		Detection rate (%)							
	No. of samples	Detection rate (%)	HAdV	HPIV	HRSV	IFV	HCoV	HRV	HBoV	HMPV
47	298	66.8	3.7	11.7	6.4	10.1	4.4	16.4	3.0	11.1
48	271	62.0	5.2	19.6	2.6	7.4	2.2	15.5	3.3	6.3
49	312	69.9	5.1	23.7	3.5	8.3	5.1	13.1	6.1	4.8
50	336	64.9	4.8	23.2	3.3	9.8	6.5	12.2	2.1	3.0
Cum.*	1,217	66.0	4.7	19.7	3.9	9.0	4.7	14.2	3.6	6.2
2021 Cum.†	4,619	65.1	6.8	12.9	1.9	0.0	0.3	34.1	9.2	0.0

– HAdV : human Adenovirus, HPIV : human Parainfluenza virus, HRSV : human Respiratory syncytial virus, IFV : Influenza virus, HCoV : human Coronavirus, HRV : human Rhinovirus, HBoV : human Bocavirus, HMPV : human Metapneumovirus

* Cum. : the rate of detected cases between November 13, 2022 – December 10, 2022 (Average No. of detected cases is 304 last 4 weeks)

† 2021 Cum. : the rate of detected cases between December 27, 2020 – December 25, 2021

V. Laboratory-based Pathogen Surveillance: Acute Gastroenteritis Viruses/Bacteria

1. Acute gastroenteritis-causing virus, weeks ending December 3, 2022 (49th Week)

- Detection rate: 29.3% (cumulative mean proportion in 2022: 1,270 cases [39.1%] out of 3,248 specimens)
- Variation (%p): increase from 21.0% in 48th week of 2022
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 72 hospitals/clinics

Week	No. of sample	No. of detection (Detection rate, %)					
		Norovirus	Group A Rotavirus	Enteric Adenovirus	Astrovirus	Sapovirus	Total
2022 46	57	10 (17.5)	0 (0.0)	1 (1.8)	3 (5.3)	4 (7.0)	18 (31.6)
47	51	6 (11.8)	0 (0.0)	3 (5.9)	1 (2.0)	2 (3.9)	12 (23.5)
48	62	10 (16.1)	0 (0.0)	1 (1.6)	0 (0.0)	2 (3.2)	13 (21.0)
49	41	7 (17.1)	1 (2.4)	0 (0.0)	2 (4.9)	2 (4.9)	12 (29.3)
Cum. 2022	3,248	754 (23.2)	29 (0.9)	226 (7.0)	134 (4.1)	127 (3.9)	1,270 (39.1)

* The samples were collected from children ≤ 5 years of sporadic acute gastroenteritis in Korea.

2. Acute gastroenteritis-causing bacteria, weeks ending December 3, 2022 (49th Week)

- Detection rate: 9.6% (cumulative mean proportion in 2022: 2,025 cases [19.2%] out of 10,568 specimens)
- Variation (%p): decrease from 13.2% in 48th week of 2022
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 72 hospitals/clinics

Week	No. of Sample	No. of isolation (Isolation rate, %)									
		<i>Salmonella</i> spp.	Pathogenic <i>E.coli</i>	<i>Shigella</i> spp.	<i>V.parahaemolyticus</i>	<i>V. cholerae</i>	<i>Campylobacter</i> spp.	<i>C.perfringens</i>	<i>S. aureus</i>	<i>B. cereus</i>	Total
2022 46	260	13 (5.0)	11 (4.2)	0 (0.0)	1 (0.4)	0 (0.0)	5 (1.9)	8 (3.1)	13 (5.0)	3 (1.2)	55 (21.2)
47	233	4 (1.7)	7 (3.0)	0 (0.0)	1 (0.4)	0 (0.0)	4 (1.7)	2 (0.9)	3 (1.3)	14 (6.0)	36 (15.5)
48	258	9 (3.5)	5 (1.9)	0 (0.0)	0 (0.0)	0 (0.0)	2 (0.8)	9 (3.5)	6 (2.3)	3 (1.2)	34 (13.2)
49	197	0 (0.0)	2 (1.0)	0 (0.0)	0 (0.0)	0 (0.0)	4 (2.0)	4 (2.0)	5 (2.5)	4 (2.0)	19 (9.6)
Cum. 2022	10,568	375 (3.5)	535 (5.1)	0 (0.0)	4 (0.04)	0 (0.0)	201 (1.9)	268 (2.5)	376 (3.6)	245 (2.3)	2,025 (19.2)

* Bacterial Pathogens: *Salmonella* spp., *E. coli* (EHEC, ETEC, EPEC, EIEC), *Shigella* spp., *Vibrio parahaemolyticus*, *Vibrio cholerae*, *Campylobacter* spp., *Clostridium perfringens*, *Staphylococcus aureus*, *Bacillus cereus*, *Listeria monocytogenes*, *Yersinia enterocolitica*.

* Hospitals participating in Laboratory surveillance in 2022 (72 hospitals)

VI. Laboratory-based Pathogen Surveillance: Enterovirus

1. Enterovirus, weeks ending December 3, 2022 (49th Week)

- Detection rate: 0.0% (0 cases / 3 specimens) (cumulative mean proportion in 2022: 50.0% [342 cases / 684 specimens])
 - Aseptic meningitis: 0 case (Cum. 2022: 6 cases)
 - HFMD and herpangina: 0 case (Cum. 2022: 308 cases)
 - HFMD with complications: 0 case (Cum. 2022: 1 case)
 - Other: 0 case (Cum. 2022: 27 cases)
- Variation (%p): decrease from 16.7% in 48th week of 2022
- Sentinel reporting sites: 17 city/provincial health and environmental institutes and 67 hospitals/clinics




Figure 7. Detection of enterovirus in aseptic meningitis patients from 2020 to 2022




Figure 8. Detection of enterovirus in HFMD and herpangina patients from 2020 to 2022




Figure 9. Detection of enterovirus in HFMD with complications patients from 2020 to 2022

VIII. Vector Surveillance: Scrub typhus vector chigger mites

1. Scrub typhus vector chigger mites, weeks ending December 10, 2022 (50th week)

- No. of chigger mites: 0.55
- Variation: decrease from 0.89 in 49th week of 2022
- Sentinel reporting sites: 9 city/province (18 sites)
- ※ No. of chigger mites: number of chigger in 18 sites (360 traps) per week




Figure 11. Weekly incidences of scrub typhus vector chiggers

About PHWR Disease Surveillance Statistics

The Public Health Weekly Report (PHWR) Disease Surveillance Statistics is prepared by the Korea Disease Control and Prevention Agency (KCDA). These provisional surveillance data on the reported occurrence of national notifiable diseases and conditions are compiled through population-based or sentinel-based surveillance systems and published weekly, except for data on infrequent or recently-designated diseases. These surveillance statistics are informative for analyzing infectious disease or condition numbers and trends. However, the completeness of data might be influenced by some factors such as a date of symptom or disease onset, diagnosis, laboratory result, reporting of a case to a jurisdiction, or notification to Korea Disease Control and Prevention Agency. The official and final disease statistics are published in infectious disease surveillance yearbook annually.

Using and Interpreting These Data in Tables

- **Current Week** – The number of cases under current week denotes cases who have been reported to Korea CDC at the central level via corresponding jurisdictions(health centers, and health departments) during that week and accepted/approved by surveillance staff.
- **Cum. 2022** – For the current year, it denotes the cumulative(Cum) year-to-date provisional counts for the specified condition.
- **5-year weekly average** – The 5-year weekly average is calculated by summing, for the 5 proceeding years, the provisional incidence counts for the current week, the two weeks preceding the current week, and the two weeks following the current week. The total sum of cases is then divided by 25 weeks. It gives help to discern the statistical aberration of the specified disease incidence by comparing difference between counts under current week and 5-year weekly average.

For example,

	Week Number				
	10	11	12	13	14
2022			Current week		
2021	X1	X2	X3	X4	X5
2020	X6	X7	X8	X9	X10
2019	X11	X12	X13	X14	X15
2018	X16	X17	X18	X19	X20
2017	X21	X22	X23	X24	X25

$$5\text{-year weekly average for current week} = (X1 + X2 + \dots + X25) / 25$$

- **Cum. 5-year average** – Mean value calculated by cumulative counts from 1st week to current week for 5 preceding years. It gives help to understand the increasing or decreasing pattern of the specific disease incidence by comparing difference between cum. 2022 and cum. 5-year average.

Contact Us

Questions or comments about the PHWR Disease Surveillance Statistics can be sent to phwrcdc@korea.kr