

제18권 제25호 2025. 6. 26.

I. 환자감사: 전수감시 감염병 주간 발생 현황

1. 2025년 25주차 보고 현황(2025. 6. 21. 기준)*

단위 : 보고환자수[†]

감염병*	금주	2025년 누계	5년간 주별 평균	연간현황					금주 해외유입현황 : 국가명 (신고수)
				2024	2023	2022	2021	2020	
제2급감염병									
결핵**	417	8,866	430	17,944	19,540	20,383	22,904	25,350	중국(1)
수두	510	15,709	559	31,892	26,964	18,547	20,929	31,430	
홍역	1	63	0	49	8	0	0	6	
콜레라	0	0	0	0	0	0	0	0	
장티푸스	0	16	1	34	19	38	61	39	
파라티푸스	0	5	1	23	22	31	29	58	
세균성이질	0	29	0	41	37	31	18	29	
장출혈성대장균감염증	2	101	13	274	216	211	165	270	
A형간염	17	567	67	1,168	1,324	1,890	6,583	3,989	
백일해	77	4,865	247	48,048	292	31	21	123	
유행성이하선염	165	3,414	186	6,425	7,737	6,358	9,708	9,922	
풍진	0	0	0	0	0	0	0	0	
수막구균 감염증	0	5	0	17	11	3	2	5	
폐렴구균 감염증	0	269	6	451	431	339	269	345	
한센병	0	1	0	5	3	2	5	3	
성홍열	451	5,533	62	6,642	815	505	678	2,300	
반코마이신내성황색포도알균 (VRSA) 감염증	0	1	0	1	2	1	2	9	
카바페넴내성장내세균목 (CRE) 감염증	1,003	22,062	602	42,347	38,405	30,548	23,311	18,113	
E형간염	14	381	-	756	572	528	494	191	
제3급감염병									
파상풍	0	8	1	29	24	23	21	30	몽골(1), 중국(1)
B형간염	4	114	6	315	315	332	453	382	
일본뇌염	0	0	0	21	17	11	23	7	
C형간염	86	2,770	182	6,444	7,249	8,308	10,115	11,849	
말라리아	11	163	25	713	747	420	294	385	
레지오넬라증	9	229	8	452	476	415	383	368	
비브리오패혈증	0	1	0	49	69	46	52	70	
발진열	0	7	0	60	21	4	9	1	
쯔쯔가무시증	7	135	28	6,268	5,663	6,235	5,915	4,479	
렙토스피라증	0	16	2	70	59	125	144	114	
브루셀라증	0	4	0	5	5	5	4	8	
신증후군출혈열	3	85	6	373	452	302	310	270	
후천성면역결핍증(AIDS)***	22	305	15	714	749	825	771	816	
크로이츠펔트-야콥병(CJD)	2	22	1	67	67	61	67	64	태국(1)
댕기열	1	40	2	196	206	103	3	43	
큐열	1	25	1	57	57	56	46	69	
라임병	0	5	1	34	45	22	8	18	
유비저	0	2	0	2	2	2	2	1	
치쿤구니야열	0	1	0	9	13	8	0	1	인도네시아(1)
중증열성혈소판감소증후군(SFTS)	3	61	7	170	198	193	172	243	
지카바이러스감염증	1	2	0	0	2	3	0	1	
엡폭스(원숭이두창)	0	3	-	17	151	4	-	-	
매독	26	1,028	-	2,790	-	-	-	-	
매독(1기)	7	354	-	983	-	-	-	-	
매독(2기)	7	182	-	524	-	-	-	-	
매독(3기)	1	27	-	51	-	-	-	-	
매독(선천성)	0	9	-	12	-	-	-	-	
매독(잠복)	11	456	-	1,220	-	-	-	-	

* 2024-2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

** 결핵은 2025년부터 전제환자(신환자(초치료자), 재치료자(재발자, 실패 후 재치료자, 중단 후 재치료자, 이전 치료결과 불명확), 과거 치료여부 불명확) 주로 산출함

*** 후천성면역결핍증(AIDS) 통계는 내국인만 집계된 통계이며, HIV 감염을 모두 포함함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함하며, AIDS는 내국인만을 포함함

‡ 미포함 질병: 에볼라바이러스병, 마버그열, 라싸열, 크리미안콩고출혈열, 남아메리카출혈열, 리프트밸리열, 두창, 페스트, 탄저, 보툴리눔독소증, 야토병, 신종감염병증후군, 중증급성호흡기증후군(SARS), 중증호흡기증후군(MERS), 동물인플루엔자 인체감염증, 신종인플루엔자, 디프테리아, 폴리오, b형헤모필루스인플루엔자, 발진티푸스, 공수병, 황열, 웨스트나일열, 지드기매개뇌염

§ 최근 5년(2020~2024년)의 해당 주의 신고 건수와 이전 2주, 이후 2주 동안의 신고 건수(총 25주) 평균임

2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†

지역	제2급감염병											
	결핵**			수두			홍역			콜레라		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	417	8,866	10,185	510	15,709	13,448	1	63	11	0	0	0
서울	51	1,445	1,693	49	1,787	1,606	0	12	2	0	0	0
부산	36	531	655	22	949	757	0	3	0	0	0	0
대구	17	404	491	63	1,110	713	0	0	0	0	0	0
인천	20	490	530	19	650	640	0	2	0	0	0	0
광주	11	180	226	20	401	508	0	7	0	0	0	0
대전	14	209	222	11	481	360	0	0	0	0	0	0
울산	11	190	188	5	345	337	0	0	0	0	0	0
세종	4	32	38	1	126	122	0	0	2	0	0	0
경기	88	1,918	2,242	132	4,843	3,573	1	13	0	0	0	0
강원	17	368	434	27	624	408	0	2	0	0	0	0
충북	15	291	336	11	490	475	0	2	1	0	0	0
충남	21	515	541	20	566	473	0	0	1	0	0	0
전북	18	397	419	21	431	517	0	0	0	0	0	0
전남	25	534	590	33	609	652	0	10	0	0	0	0
경북	34	677	800	17	863	694	0	3	4	0	0	0
경남	30	581	660	55	1,222	1,207	0	7	1	0	0	0
제주	5	104	121	4	212	406	0	2	0	0	0	0


* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함(2024년 결핵 통계는 확정통계임)

** 결핵은 2025년부터 전제환자(신환자(초치료자), 재치료자(재발자, 실패 후 재치료자, 중단 후 재치료자, 이전 치료결과 불명확), 과거 치료여부 불명확) 수로 산출함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†


지역	제2급감염병											
	장티푸스			파라티푸스			세균성이질			장출혈성대장균감염증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	16	18	0	5	11	0	29	17	2	101	70
서울	0	0	4	0	3	2	0	7	1	1	12	8
부산	0	5	2	0	0	1	0	3	1	0	3	2
대구	0	0	1	0	1	1	0	0	0	0	3	4
인천	0	0	1	0	0	1	0	1	1	0	9	1
광주	0	0	0	0	0	0	0	2	1	1	6	9
대전	0	0	0	0	0	0	0	2	2	0	1	3
울산	0	0	1	0	0	0	0	1	1	0	1	1
세종	0	0	0	0	0	0	0	1	0	0	1	1
경기	0	2	5	0	0	3	0	2	5	0	27	17
강원	0	0	0	0	0	0	0	0	0	0	2	3
충북	0	0	0	0	0	0	0	3	0	0	3	1
충남	0	0	0	0	1	1	0	1	1	0	6	3
전북	0	0	0	0	0	0	0	3	1	0	1	2
전남	0	0	1	0	0	1	0	2	1	0	7	5
경북	0	8	1	0	0	0	0	0	1	0	12	4
경남	0	1	2	0	0	1	0	1	1	0	7	3
제주	0	0	0	0	0	0	0	0	0	0	0	3

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†


지역	제2급감염병											
	A형간염			백일해			유행성이하선염			풍진		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	17	567	1,473	77	4,865	795	165	3,414	4,006	0	0	0
서울	6	93	292	7	457	56	22	436	526	0	0	0
부산	0	23	39	9	392	36	4	145	196	0	0	0
대구	0	13	34	10	345	17	10	201	174	0	0	0
인천	0	35	121	3	244	87	9	196	213	0	0	0
광주	0	17	27	1	130	25	8	89	123	0	0	0
대전	1	25	44	3	114	20	8	90	108	0	0	0
울산	0	8	14	1	205	2	11	150	125	0	0	0
세종	0	4	9	2	229	0	1	23	31	0	0	0
경기	2	146	529	15	1,176	212	43	1,004	1,184	0	0	0
강원	1	16	30	7	178	24	6	139	148	0	0	0
충북	0	19	56	1	129	24	5	122	111	0	0	0
충남	0	26	85	6	249	12	5	190	189	0	0	0
전북	2	46	68	2	143	15	5	96	159	0	0	0
전남	0	24	35	2	217	26	3	122	179	0	0	0
경북	4	36	39	2	182	28	8	150	168	0	0	0
경남	1	22	26	6	352	205	16	205	300	0	0	0
제주	0	14	25	0	123	6	1	55	72	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†


지역	제2급감염병						제3급감염병					
	수막구균 감염증			성홍열			파상풍			B형간염		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	5	3	451	5,533	990	0	8	10	4	114	163
서울	0	0	1	81	666	145	0	1	1	1	16	27
부산	0	1	0	19	248	62	0	0	1	1	13	9
대구	0	0	0	13	126	14	0	1	0	0	4	5
인천	0	0	0	35	637	65	0	1	0	1	10	10
광주	0	2	0	18	231	55	0	0	0	0	3	4
대전	0	0	0	10	137	24	0	0	0	0	6	4
울산	0	0	0	14	83	30	0	0	0	1	2	3
세종	0	0	0	3	26	3	0	0	0	0	0	1
경기	0	2	2	146	1,571	323	0	1	2	0	22	50
강원	0	0	0	17	249	40	0	0	1	0	2	5
충북	0	0	0	10	137	22	0	0	1	0	4	5
충남	0	0	0	19	323	34	0	0	2	0	7	9
전북	0	0	0	4	98	17	0	2	1	0	3	7
전남	0	0	0	1	88	28	0	0	0	0	7	7
경북	0	0	0	33	290	56	0	0	1	0	5	6
경남	0	0	0	28	576	57	0	2	0	0	9	10
제주	0	0	0	0	47	15	0	0	0	0	1	1

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†


지역	제3급감염병											
	일본뇌염			말라리아			레지오넬라증			비브리오패혈증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	0	0	11	163	152	9	229	161	0	1	2
서울	0	0	0	1	19	21	3	57	35	0	0	1
부산	0	0	0	0	3	3	1	11	6	0	0	0
대구	0	0	0	0	0	1	1	13	10	0	0	0
인천	0	0	0	2	27	21	0	7	10	0	0	0
광주	0	0	0	0	1	2	0	3	4	0	0	0
대전	0	0	0	0	2	2	0	7	3	0	0	0
울산	0	0	0	1	4	1	0	4	2	0	0	0
세종	0	0	0	0	1	0	0	2	0	0	0	0
경기	0	0	0	6	91	87	3	60	36	0	0	1
강원	0	0	0	1	8	6	0	3	2	0	0	0
충북	0	0	0	0	2	0	0	3	3	0	0	0
충남	0	0	0	0	1	1	1	4	5	0	1	0
전북	0	0	0	0	1	1	0	5	6	0	0	0
전남	0	0	0	0	1	3	0	4	11	0	0	0
경북	0	0	0	0	1	1	0	21	7	0	0	0
경남	0	0	0	0	1	2	0	18	7	0	0	0
제주	0	0	0	0	0	0	0	7	14	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†


지역	제3급감염병											
	발진열			쯔쯔가무시증			렙토스피라증			브루셀라증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	7	1	7	135	468	0	16	21	0	4	3
서울	0	0	0	2	4	11	0	0	1	0	0	0
부산	0	1	0	0	3	16	0	1	1	0	0	0
대구	0	0	0	0	1	5	0	0	0	0	0	0
인천	0	1	1	0	1	4	0	0	0	0	0	0
광주	0	0	0	0	2	14	0	2	1	0	0	0
대전	0	0	0	0	2	7	0	0	1	0	0	0
울산	0	4	0	0	1	6	0	0	0	0	0	0
세종	0	0	0	0	1	2	0	0	0	0	0	0
경기	0	0	0	0	4	24	0	2	1	0	1	0
강원	0	0	0	0	4	4	0	0	1	0	0	0
충북	0	0	0	0	4	7	0	1	0	0	0	0
충남	0	1	0	0	16	33	0	2	5	0	1	0
전북	0	0	0	1	21	81	0	2	3	0	0	1
전남	0	0	0	1	29	144	0	3	3	0	1	1
경북	0	0	0	0	5	11	0	1	2	0	0	0
경남	0	0	0	3	32	94	0	2	2	0	1	1
제주	0	0	0	0	5	5	0	0	0	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†


지역	제3급감염병											
	신증후군출혈열			크로이츠펔트-야콥병(CJD)			뎡기열			큐열		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	3	85	93	2	22	29	1	40	39	1	25	39
서울	0	3	1	0	4	7	0	12	13	0	2	4
부산	0	0	1	0	3	3	0	2	3	0	0	2
대구	0	1	2	0	0	1	0	2	1	0	2	0
인천	0	3	2	0	1	2	0	4	2	0	0	4
광주	0	4	2	0	0	1	0	0	1	0	0	0
대전	0	3	1	0	1	1	0	2	0	0	1	2
울산	0	0	0	0	0	1	0	1	1	0	0	0
세종	0	0	0	0	0	0	0	0	0	0	0	0
경기	0	15	15	1	5	8	0	9	13	1	7	14
강원	0	2	7	0	0	1	0	0	0	0	0	0
충북	0	4	2	0	0	1	0	0	0	0	3	4
충남	1	14	11	1	2	0	0	2	1	0	4	2
전북	1	8	17	0	1	1	1	1	1	0	0	1
전남	0	15	17	0	1	0	0	3	1	0	1	3
경북	0	3	5	0	0	1	0	1	0	0	2	2
경남	1	9	7	0	3	1	0	1	2	0	3	1
제주	0	1	3	0	1	0	0	0	0	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 6. 21. 기준)(25주차)*

단위 : 보고환자수†

지역	제3급감염병								
	라임병			중증열성혈소판감소증후군(SFTS)			지카바이러스감염증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	5	8	3	61	35	1	2	0
서울	0	2	3	0	4	2	0	0	0
부산	0	0	0	0	1	1	0	0	0
대구	0	0	0	0	2	1	0	0	0
인천	0	0	1	0	0	0	0	0	0
광주	0	0	0	0	1	0	0	0	0
대전	0	0	0	0	3	0	0	0	0
울산	0	0	0	0	4	1	0	0	0
세종	0	0	0	0	0	0	0	0	0
경기	0	1	2	1	7	4	1	2	0
강원	0	0	0	1	4	3	0	0	0
충북	0	0	0	0	2	2	0	0	0
충남	0	0	1	0	2	3	0	0	0
전북	0	0	0	0	6	2	0	0	0
전남	0	0	0	0	2	2	0	0	0
경북	0	0	0	1	10	5	0	0	0
경남	0	2	1	0	9	6	0	0	0
제주	0	0	0	0	4	3	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



II. 환자감시 : 표본감시 감염병 주간 발생 현황

1. 인플루엔자 주간 발생 현황(24주차, 2025. 6. 14. 기준)

- 외래환자 1,000명당 의사환자분율(ILI): 5.2명(=0.5%)
- 변동(주간): 2025년 23주차(6.7명) 대비 감소
- 표본보고기관: 300개 의료기관
- ※ 2024-2025절기 유행기준은 8.6명(1,000)




그림 1. 외래환자 1,000명당 인플루엔자 의사환자 발생 현황

2. 수족구병 발생 주간 현황(25주차, 2025. 6. 21. 기준)

- 외래환자 1,000명당 의사환자분율: 5.8명
- 변동(주간): 2025년 24주차(2.7명) 대비 증가
- 표본보고기관: 전국 108개 의료기관




그림 2. 외래환자 1,000명당 수족구병 의사환자 발생 현황, 2021-2025

3. 안과 감염병 주간 발생 현황(25주차, 2025. 6. 21. 기준)

- 외래환자 1,000명당 유행성각결막염 의사환자분율: 10.6명
- 변동(주간): 2025년 24주차(10.9명) 대비 감소
- 표본보고기관: 전국 85개 의료기관




그림 3. 외래환자 1,000명당 유행성각결막염 의사환자 발생 현황, 2021-2025

- 외래환자 1,000명당 급성출혈성결막염 의사환자분율: 0.5명
- 변동(주간): 2025년 24주차(0.5명) 대비 동일
- 표본보고기관: 전국 85개 의료기관




그림 4. 외래환자 1,000명당 급성출혈성결막염 의사환자 발생 현황, 2021-2025

4. 성매개감염병 주간 발생 현황(25주차, 2025. 6. 21. 기준)

- 보고기관 당 환자수: 사람유두종바이러스 감염증 3.5건, 성기단순포진 2.7건, 클라미디아 감염증 1.7건, 첨규콘딜롬 1.6건, 임질 1.2건을 신고함
- 변동(주간)
증가: 사람유두종바이러스 감염증(3.2→3.5), 성기단순포진(2.3→2.7), 클라미디아 감염증(1.5→1.7), 첨규콘딜롬(1.4→1.6)
감소: 임질(1.3→1.2)
- 표본보고기관: 전국 보건소 및 의료기관 561개
- * 제25주차 신고의료기관 수: 임질 18개, 클라미디아 감염증 60개, 성기단순포진 72개, 첨규콘딜롬 22개, 사람유두종바이러스 감염증 58개

단위 : 신고수/신고기관 수

임질			클라미디아 감염증			성기단순포진		
금주	2025년 누적	최근 5년 누적 평균 [§]	금주	2025년 누적	최근 5년 누적 평균 [§]	금주	2025년 누적	최근 5년 누적 평균 [§]
1.2	3.1	4.4	1.7	10.4	11.3	2.7	27.5	26.2

첨규콘딜롬			사람유두종바이러스 감염증		
금주	2025년 누적	최근 5년 누적 평균 [§]	금주	2025년 누적	최근 5년 누적 평균 [§]
1.6	8.5	9.6	3.5	51.0	39.5

누계 : 매년 첫 주부터 금주까지의 보고 누계

† 각 질병별로 규정된 신고 범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함

§ 최근 5년('20~'24) 누적 평균(Cum. 5-year average) : 최근 5년 1주차부터 금주까지 누적 환자 수 평균

III. 수인성 및 식품매개 감염병 주간 발생 현황

1. 수인성 및 식품매개 감염병 집단발생 주간 현황(25주차, 2025. 6. 21. 기준)

- 수인성 및 식품매개 감염병 집단발생: 17건, 356명(금년 누적 발생: 317건, 6,273명)
- 변동(주간): 2025년 24주차(11건) 대비 증가




그림 5. 수인성 및 식품매개 감염병 집단발생 현황, 2024-2025

IV. 병원체감시 : 인플루엔자 및 호흡기바이러스

1. 인플루엔자 바이러스 주간 현황(25주차, 2025. 6. 21. 기준)

- 인플루엔자 양성률: 1.7%
[인플루엔자 아형: A(H1N1)pdm09 0.7%, A(H3N2) 0.0%, B 1.0%]
- 변동(주간): 2025년 24주차(2.3%) 대비 감소
- 표본보고기관: 106개 의료기관




그림 6. 인플루엔자 바이러스 검출 현황, 2024-2025절기

2. 호흡기 바이러스 주간 현황(25주차, 2025. 6. 21. 기준)

- 호흡기바이러스 양성률: 61.2%(금주 및 최근 3주 누적 분율: 74.1%)
- 변동(주간): 2025년 24주차(77.6%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 106개 의료기관

※ 주별통계는 잠정통계이므로 변동가능

주	주별	검출률 (%)									
		검출률 (%)	아데노 바이러스	보카 바이러스	파라 인플루엔자 바이러스	호흡기 세포융합 바이러스	리노 바이러스	메타뉴모 바이러스	코로나 바이러스	인플루엔자 바이러스	코로나19 바이러스
2025	22	76.4	9.4	11.2	15.6	0.3	23.6	3.8	1.2	3.5	7.7
	23	82.2	5.8	14.9	19.0	0.4	23.6	2.5	2.9	5.4	7.9
	24	77.6	6.6	7.2	19.7	0.3	27.3	1.6	2.6	2.3	9.9
	25	61.2	3.4	10.3	14.4	0.0	18.9	2.4	0.3	1.7	9.6
4주 누적※		74.1	6.5	10.7	17.1	0.3	23.4	2.6	1.7	3.1	8.8
2024년 누적▽		65.1	5.8	3.1	5.4	5.2	15.4	4.5	2.6	8.9	14.2

※ 4주 누적 : 2025년 5월 25일 - 2025년 6월 21일 검출률임

▽ 2024년 누적 : 2023년 12월 31일 - 2024년 12월 28일 검출률임

V. 병원체감시 : 급성설사질환 바이러스 및 세균

1. 급성설사 바이러스 주간 검출 현황(24주차, 2025. 6. 14. 기준)

- 급성설사 바이러스 검출률: 25.0% (15건 양성 / 60 검체) [2025년 누적분율: 52.5% (990건 양성 / 1,886 검체)]
- 변동(주간): 2025년 23주차(31.6%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 72개 의료기관

주	검체수	검출 건수(검출률, %)											
		노로바이러스		그룹 A 로타바이러스		장내 아데노바이러스		아스트로 바이러스		사포 바이러스		합계	
2025	21	83	18 (21.7)	3 (3.6)	4 (4.8)	1 (1.2)	3 (3.6)	29	(34.9)				
	22	64	9 (14.1)	0 (0.0)	3 (4.7)	1 (1.6)	1 (1.6)	14	(21.9)				
	23	76	18 (23.7)	1 (1.3)	3 (3.9)	0 (0.0)	2 (2.6)	24	(31.6)				
	24	60	4 (6.7)	2 (3.3)	3 (5.0)	3 (5.0)	3 (5.0)	15	(25.0)				
2025년 누적		1,886	756 (40.1)	106 (5.6)	81 (4.3)	31 (1.6)	16 (0.8)	990	(52.5)				

* 검체는 5세 이하 아동의 급성설사질환자에게서 수집됨.

2. 급성설사 세균 주간 검출 현황(24주차, 2025. 6. 14. 기준)

- 급성설사 세균 검출률: 16.7% (40건 양성 / 239 검체) [2025년 누적분율: 10.4% (673건 양성 / 6,468 검체)]
- 변동(주간): 2025년 23주차(16.4%) 대비 증가
- 표본보고기관: 18개 시·도 보건환경연구원 및 77개 의료기관

주		검체수	분리 건수 (분리율, %)									
			살모넬라균	병원성 대장균	세균성 이질균	장염 비브리오균	비브리오 콜레라균	캠필로 박터균	클로스 트리듐 퍼프린젠스	황색 포도알균	바실루스 세레우스	합계
2025	21	318	9 (2.8)	8 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.3)	4 (1.3)	12 (3.8)	9 (2.8)	44 (13.8)
	22	282	11 (3.9)	13 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (2.1)	7 (2.5)	8 (2.8)	45 (16.0)
	23	238	14 (5.9)	9 (3.8)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	3 (1.3)	9 (3.8)	2 (0.8)	39 (16.4)
	24	239	7 (2.9)	15 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	6 (2.5)	7 (2.9)	4 (1.7)	40 (16.7)
2025년 누적		6,468	128 (2.0)	151 (2.3)	0 (0.0)	0 (0.0)	0 (0.0)	17 (0.3)	101 (1.6)	167 (2.6)	105 (1.6)	673 (10.4)

* 2025년 실험실 감시체계 참여기관(77개 의료기관)

VI. 병원체감시 : 엔테로바이러스

1. 엔테로바이러스 주간 검출 현황(24주차, 2025. 6. 14. 기준)

- 엔테로바이러스 검출률: 8.7% (2 양성 / 23 검체) [2025년 누적분율: 5.4% (13건 양성 / 241 검체)]
 - 무균성수막염: 0건(2025년 누계: 0건)
 - 수족구병 및 포진성구협염: 2건(2025년 누계: 6건)
 - 합병증 동반 수족구병: 0건(2025년 누계: 0건)
 - 기타: 0건(2025년 누계: 7건)
- 변동(주간): 2025년 23주차(7.7%) 대비 증가
- 표본보고기관: 18개 시·도 보건환경연구원 및 83개 의료기관



그림 7. 무균성수막염에서 엔테로바이러스 검출건수, 2023-2025



그림 8. 수족구 및 포진성구협염에서 엔테로바이러스 검출건수, 2023-2025



그림 9. 합병증 동반 수족구병에서 엔테로바이러스 검출건수, 2023-2025

VII. 매개체감시 : 말라리아 매개모기

1. 말라리아 매개모기 주간 검출 현황(24주차, 2025. 6. 14. 기준)

- 말라리아 매개모기 검출수: 1.2개체
- 변동: 평년 1.9개체 대비 감소, 전년 2.9개체 대비 감소
- * 전체 채집 모기 2,347개체 중 말라리아 매개모기는 419개체가 채집됨
- 표본보고기관: 4개 시·도(서울, 인천, 경기, 강원/87개 지점)
- ※ 모기수 산출법(모기지수): 1주일간 유문등에 채집된 모기의 평균수(개체수/트랩/일)




그림 10. 말라리아 매개모기 주간 발생 현황

VIII. 매개체감시 : 일본뇌염 매개모기

1. 일본뇌염 매개모기 주간 검출 현황(25주차, 2025. 6. 21. 기준)

- 일본뇌염 매개모기 검출수: 1개체(Japanese encephalitis vector, JEV)
- 변동: 평년 8개체 대비 감소, 전년 7개체 대비 감소
- 표본보고기관: 12개 시·도 보건환경연구원(부산, 대구, 울산, 강원, 충북, 충남, 세종, 전북, 전남, 경북, 경남, 제주/14개 지점)
※ 모기수 산출법(모기지수): 유문등에 채집된 모기의 평균수(개체수/트랩/일)
※ 평년: 최근 3년(2022-2024년)의 평균값




그림 11. 일본뇌염 매개모기 주간 발생 현황

주요 통계 이해하기

<통계표 1>은 지난 5년간 발생한 법정감염병과 2024년 해당 주 발생현황을 비교한 표로, 금주 환자 수(Current week)는 2025년 해당주의 신고 건수를 나타내며, 2025년 누계 환자 수(Cum. 2025)는 2025년 1주부터 해당 주까지의 누계 건수, 그리고 5년 주 평균 환자 수(5-year weekly average)는 지난 5년(2020-2024년) 해당 주의 신고 건수와 이전 2주, 이후 2주의 신고 건수(총 25주) 평균으로 계산된다. 그러므로 금주 환자 수(Current week)와 5년 주 평균 환자 수(5-year weekly average)의 신고 건수를 비교하면 해당 주 단위 시점과 예년의 신고 수준을 비교해 볼 수 있다. 연도별 환자 수(Total no. of cases by year)는 지난 5년간 해당 감염병 현황을 나타내는 확정 통계이며 연도별 현황을 비교해 볼 수 있다.

예) 2024년 12주의 5년 주 평균 환자 수(5-year weekly average)는 2020년부터 2024년의 10주부터 14주까지의 신고 건수를 총 25주로 나눈 값으로 구해진다.

* 5년 주 평균 환자 수(5-year weekly average)=(X1 + X2 + ... + X25)/25

	10주	11주	12주	13주	14주
2025년			해당 주		
2024년	X1	X2	X3	X4	X5
2023년	X6	X7	X8	X9	X10
2022년	X11	X12	X13	X14	X15
2021년	X16	X17	X18	X19	X20
2020년	X21	X22	X23	X24	X25

<통계표 2>는 17개 시도 별로 구분한 법정감염병 보고 현황을 보여 주고 있으며, 감염병별로 최근 5년 누계 평균 환자 수(Cum, 5-year average)와 2025년 누계 환자 수(Cum, 2025)를 비교해 보면 최근까지의 누적 신고 건수에 대한 이전 5년 동안 해당 주까지의 평균 신고 건수와 비교를 할 수 있다. 최근 5년 누계 평균 환자 수(Cum, 5-year average)는 지난 5년(2020-2024년) 동안의 동 기간 신고 누계 평균으로 계산된다.

기타 표본감시 감염병에 대한 신고현황 그림과 통계는 최근 발생양상을 신속하게 파악하는 데 도움이 된다.

I. National Notifiable Infectious Diseases

1. Reported cases, week ending June 21, 2025 (25th Week)

Unit: no. of cases[†]

Classification of disease [‡]		Current week [*]	Cum. 2025 [*]	5-year weekly average	Total no. of cases by year					Imported cases of current week : Country (no. of cases)
					2024	2023	2022	2021	2020	
Category II										
Tuberculosis**		417	8,866	430	17,944	19,540	20,383	22,904	25,350	China(1)
Varicella		510	15,709	559	31,892	26,964	18,547	20,929	31,430	
Measles		1	63	0	49	8	0	0	6	
Cholera		0	0	0	0	0	0	0	0	
Typhoid fever		0	16	1	34	19	38	61	39	
Paratyphoid fever		0	5	1	23	22	31	29	58	
Shigellosis		0	29	0	41	37	31	18	29	
EHEC		2	101	13	274	216	211	165	270	
Viral hepatitis A		17	567	67	1,168	1,324	1,890	6,583	3,989	
Pertussis		77	4,865	247	48,048	292	31	21	123	
Mumps		165	3,414	186	6,425	7,737	6,358	9,708	9,922	
Rubella		0	0	0	0	0	0	0	0	
Meningococcal disease		0	5	0	17	11	3	2	5	
Pneumococcal disease		0	269	6	451	431	339	269	345	
Hansen's disease		0	1	0	5	3	2	5	3	
Scarlet fever		451	5,533	62	6,642	815	505	678	2,300	
VRSA		0	1	0	1	2	1	2	9	
CRE		1,003	22,062	602	42,347	38,405	30,548	23,311	18,113	
Viral hepatitis E		14	381	-	756	572	528	494	191	
Category III										
Tetanus		0	8	1	29	24	23	21	30	Mongolia(1), China(1)
Viral hepatitis B		4	114	6	315	315	332	453	382	
Japanese encephalitis		0	0	0	21	17	11	23	7	
Viral hepatitis C		86	2,770	182	6,444	7,249	8,308	10,115	11,849	
Malaria		11	163	25	713	747	420	294	385	
Legionellosis		9	229	8	452	476	415	383	368	
<i>Vibrio vulnificus</i> sepsis		0	1	0	49	69	46	52	70	
Murine typhus		0	7	0	60	21	4	9	1	
Scrub typhus		7	135	28	6,268	5,663	6,235	5,915	4,479	
Leptospirosis		0	16	2	70	59	125	144	114	
Brucellosis		0	4	0	5	5	5	4	8	
HFRS		3	85	6	373	452	302	310	270	
HIV/AIDS***		22	305	15	714	749	825	771	816	
CJD		2	22	1	67	67	61	67	64	
Dengue fever		1	40	2	196	206	103	3	43	
Q fever		1	25	1	57	57	56	46	69	
Lyme Borreliosis		0	5	1	34	45	22	8	18	Thailand(1)
Melioidosis		0	2	0	2	2	2	2	1	
Chikungunya fever		0	1	0	9	13	8	0	1	
SFTS		3	61	7	170	198	193	172	243	
Zika virus infection		1	2	0	0	2	3	0	1	Indonesia(1)
MPOX(Monkeypox)		0	3	-	17	151	4	-	-	
Syphilis		26	1,028	-	2,790	-	-	-	-	
Primary syphilis		7	354	-	983	-	-	-	-	
Secondary syphilis		7	182	-	524	-	-	-	-	
Tertiary syphilis		1	27	-	51	-	-	-	-	
Congenital syphilis		0	9	-	12	-	-	-	-	
Latent syphilis		11	456	-	1,220	-	-	-	-	

Abbreviation: EHEC= Enterohemorrhagic *Escherichia coli*, VRSA= Vancomycin-resistant *Staphylococcus aureus*, CRE= Carbapenem-resistant Enterobacteriaceae, HFRS= Hemorrhagic fever with renal syndrome, CJD= Creutzfeldt-Jacob Disease, SFTS= Severe fever with thrombocytopenia syndrome.

Cum: Cumulative counts from 1st week to current week in a year.

* The reported data for year 2024-2025 is provisional, whereas data from 2020 to 2024 are finalized.

** The number of tuberculosis cases has been changed to total cases(new patient, previously treated patient, treatment after failure patient, treatment after loss to follow-up patient, other previously treated patient), patient with previous tuberculosis treatment history) since 2025.

*** The number of HIV/AIDS cases excluded those who have no Korean citizenship.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

‡ The reported surveillance data excluded no incidence data such as Ebola virus disease, Marburg Hemorrhagic fever, Lassa fever, Crimean Congo Hemorrhagic fever, South American Hemorrhagic fever, Rift Valley fever, Smallpox, Plague, Anthrax, Botulism, Tularemia, Newly emerging infectious disease syndrome, Severe Acute Respiratory Syndrome, Middle East Respiratory Syndrome, Human infection with zoonotic influenza, Novel Influenza, Diphtheria, Poliomyelitis, *Haemophilus influenzae* type b, Epidemic typhus, Rabies, Yellow fever, West Nile fever and Tick-borne Encephalitis.

2. Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Tuberculosis**			Varicella			Measles			Cholera		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	417	8,866	10,185	510	15,709	13,448	1	63	11	0	0	0
Seoul	51	1,445	1,693	49	1,787	1,606	0	12	2	0	0	0
Busan	36	531	655	22	949	757	0	3	0	0	0	0
Daegu	17	404	491	63	1,110	713	0	0	0	0	0	0
Incheon	20	490	530	19	650	640	0	2	0	0	0	0
Gwangju	11	180	226	20	401	508	0	7	0	0	0	0
Daejeon	14	209	222	11	481	360	0	0	0	0	0	0
Ulsan	11	190	188	5	345	337	0	0	0	0	0	0
Sejong	4	32	38	1	126	122	0	0	2	0	0	0
Gyeonggi	88	1,918	2,242	132	4,843	3,573	1	13	0	0	0	0
Gangwon	17	368	434	27	624	408	0	2	0	0	0	0
Chungbuk	15	291	336	11	490	475	0	2	1	0	0	0
Chungnam	21	515	541	20	566	473	0	0	1	0	0	0
Jeonbuk	18	397	419	21	431	517	0	0	0	0	0	0
Jeonnam	25	534	590	33	609	652	0	10	0	0	0	0
Gyeongbuk	34	677	800	17	863	694	0	3	4	0	0	0
Gyeongnam	30	581	660	55	1,222	1,207	0	7	1	0	0	0
Jeju	5	104	121	4	212	406	0	2	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year


* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

** The number of tuberculosis cases has been changed to total cases(new patient, previously treated patient(relapse patient, treatment after failure) patient, treatment after loss to follow-up patient, other previously treated patient), patient with previous tuberculosis treatment history) since 2025.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Typhoid fever			Paratyphoid fever			Shigellosis			Enterohemorrhagic <i>Escherichia coli</i>		
	Current week	Cum. 2025	Cum. 5-year average [‡]	Current week	Cum. 2025	Cum. 5-year average [‡]	Current week	Cum. 2025	Cum. 5-year average [‡]	Current week	Cum. 2025	Cum. 5-year average [‡]
Overall	0	16	18	0	5	11	0	29	17	2	101	70
Seoul	0	0	4	0	3	2	0	7	1	1	12	8
Busan	0	5	2	0	0	1	0	3	1	0	3	2
Daegu	0	0	1	0	1	1	0	0	0	0	3	4
Incheon	0	0	1	0	0	1	0	1	1	0	9	1
Gwangju	0	0	0	0	0	0	0	2	1	1	6	9
Daejeon	0	0	0	0	0	0	0	2	2	0	1	3
Ulsan	0	0	1	0	0	0	0	1	1	0	1	1
Sejong	0	0	0	0	0	0	0	1	0	0	1	1
Gyeonggi	0	2	5	0	0	3	0	2	5	0	27	17
Gangwon	0	0	0	0	0	0	0	0	0	0	2	3
Chungbuk	0	0	0	0	0	0	0	3	0	0	3	1
Chungnam	0	0	0	0	1	1	0	1	1	0	6	3
Jeonbuk	0	0	0	0	0	0	0	3	1	0	1	2
Jeonnam	0	0	1	0	0	1	0	2	1	0	7	5
Gyeongbuk	0	8	1	0	0	0	0	0	1	0	12	4
Gyeongnam	0	1	2	0	0	1	0	1	1	0	7	3
Jeju	0	0	0	0	0	0	0	0	0	0	0	3


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Viral hepatitis A			Pertussis			Mumps			Rubella		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	17	567	1,473	77	4,865	795	165	3,414	4,006	0	0	0
Seoul	6	93	292	7	457	56	22	436	526	0	0	0
Busan	0	23	39	9	392	36	4	145	196	0	0	0
Daegu	0	13	34	10	345	17	10	201	174	0	0	0
Incheon	0	35	121	3	244	87	9	196	213	0	0	0
Gwangju	0	17	27	1	130	25	8	89	123	0	0	0
Daejeon	1	25	44	3	114	20	8	90	108	0	0	0
Ulsan	0	8	14	1	205	2	11	150	125	0	0	0
Sejong	0	4	9	2	229	0	1	23	31	0	0	0
Gyeonggi	2	146	529	15	1,176	212	43	1,004	1,184	0	0	0
Gangwon	1	16	30	7	178	24	6	139	148	0	0	0
Chungbuk	0	19	56	1	129	24	5	122	111	0	0	0
Chungnam	0	26	85	6	249	12	5	190	189	0	0	0
Jeonbuk	2	46	68	2	143	15	5	96	159	0	0	0
Jeonnam	0	24	35	2	217	26	3	122	179	0	0	0
Gyeongbuk	4	36	39	2	182	28	8	150	168	0	0	0
Gyeongnam	1	22	26	6	352	205	16	205	300	0	0	0
Jeju	0	14	25	0	123	6	1	55	72	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II						Diseases of Category III					
	Meningococcal disease			Scarlet fever			Tetanus			Viral hepatitis B		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	5	3	451	5,533	990	0	8	10	4	114	163
Seoul	0	0	1	81	666	145	0	1	1	1	16	27
Busan	0	1	0	19	248	62	0	0	1	1	13	9
Daegu	0	0	0	13	126	14	0	1	0	0	4	5
Incheon	0	0	0	35	637	65	0	1	0	1	10	10
Gwangju	0	2	0	18	231	55	0	0	0	0	3	4
Daejeon	0	0	0	10	137	24	0	0	0	0	6	4
Ulsan	0	0	0	14	83	30	0	0	0	1	2	3
Sejong	0	0	0	3	26	3	0	0	0	0	0	1
Gyeonggi	0	2	2	146	1,571	323	0	1	2	0	22	50
Gangwon	0	0	0	17	249	40	0	0	1	0	2	5
Chungbuk	0	0	0	10	137	22	0	0	1	0	4	5
Chungnam	0	0	0	19	323	34	0	0	2	0	7	9
Jeonbuk	0	0	0	4	98	17	0	2	1	0	3	7
Jeonnam	0	0	0	1	88	28	0	0	0	0	7	7
Gyeongbuk	0	0	0	33	290	56	0	0	1	0	5	6
Gyeongnam	0	0	0	28	576	57	0	2	0	0	9	10
Jeju	0	0	0	0	47	15	0	0	0	0	1	1


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

✂ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Japanese encephalitis			Malaria			Legionellosis			<i>Vibrio vulnificus</i> sepsis		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	0	0	11	163	152	9	229	161	0	1	2
Seoul	0	0	0	1	19	21	3	57	35	0	0	1
Busan	0	0	0	0	3	3	1	11	6	0	0	0
Daegu	0	0	0	0	0	1	1	13	10	0	0	0
Incheon	0	0	0	2	27	21	0	7	10	0	0	0
Gwangju	0	0	0	0	1	2	0	3	4	0	0	0
Daejeon	0	0	0	0	2	2	0	7	3	0	0	0
Ulsan	0	0	0	1	4	1	0	4	2	0	0	0
Sejong	0	0	0	0	1	0	0	2	0	0	0	0
Gyeonggi	0	0	0	6	91	87	3	60	36	0	0	1
Gangwon	0	0	0	1	8	6	0	3	2	0	0	0
Chungbuk	0	0	0	0	2	0	0	3	3	0	0	0
Chungnam	0	0	0	0	1	1	1	4	5	0	1	0
Jeonbuk	0	0	0	0	1	1	0	5	6	0	0	0
Jeonnam	0	0	0	0	1	3	0	4	11	0	0	0
Gyeongbuk	0	0	0	0	1	1	0	21	7	0	0	0
Gyeongnam	0	0	0	0	1	2	0	18	7	0	0	0
Jeju	0	0	0	0	0	0	0	7	14	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

✂ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Murine typhus			Scrub typhus			Leptospirosis			Brucellosis		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	7	1	7	135	468	0	16	21	0	4	3
Seoul	0	0	0	2	4	11	0	0	1	0	0	0
Busan	0	1	0	0	3	16	0	1	1	0	0	0
Daegu	0	0	0	0	1	5	0	0	0	0	0	0
Incheon	0	1	1	0	1	4	0	0	0	0	0	0
Gwangju	0	0	0	0	2	14	0	2	1	0	0	0
Daejeon	0	0	0	0	2	7	0	0	1	0	0	0
Ulsan	0	4	0	0	1	6	0	0	0	0	0	0
Sejong	0	0	0	0	1	2	0	0	0	0	0	0
Gyeonggi	0	0	0	0	4	24	0	2	1	0	1	0
Gangwon	0	0	0	0	4	4	0	0	1	0	0	0
Chungbuk	0	0	0	0	4	7	0	1	0	0	0	0
Chungnam	0	1	0	0	16	33	0	2	5	0	1	0
Jeonbuk	0	0	0	1	21	81	0	2	3	0	0	1
Jeonnam	0	0	0	1	29	144	0	3	3	0	1	1
Gyeongbuk	0	0	0	0	5	11	0	1	2	0	0	0
Gyeongnam	0	0	0	3	32	94	0	2	2	0	1	1
Jeju	0	0	0	0	5	5	0	0	0	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

✂ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Hemorrhagic fever with renal syndrome			Creutzfeldt-Jacob Disease			Dengue fever			Q fever		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	3	85	93	2	22	29	1	40	39	1	25	39
Seoul	0	3	1	0	4	7	0	12	13	0	2	4
Busan	0	0	1	0	3	3	0	2	3	0	0	2
Daegu	0	1	2	0	0	1	0	2	1	0	2	0
Incheon	0	3	2	0	1	2	0	4	2	0	0	4
Gwangju	0	4	2	0	0	1	0	0	1	0	0	0
Daejeon	0	3	1	0	1	1	0	2	0	0	1	2
Ulsan	0	0	0	0	0	1	0	1	1	0	0	0
Sejong	0	0	0	0	0	0	0	0	0	0	0	0
Gyeonggi	0	15	15	1	5	8	0	9	13	1	7	14
Gangwon	0	2	7	0	0	1	0	0	0	0	0	0
Chungbuk	0	4	2	0	0	1	0	0	0	0	3	4
Chungnam	1	14	11	1	2	0	0	2	1	0	4	2
Jeonbuk	1	8	17	0	1	1	1	1	1	0	0	1
Jeonnam	0	15	17	0	1	0	0	3	1	0	1	3
Gyeongbuk	0	3	5	0	0	1	0	1	0	0	2	2
Gyeongnam	1	9	7	0	3	1	0	1	2	0	3	1
Jeju	0	1	3	0	1	0	0	0	0	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending June 21, 2025 (25th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III								
	Lyme Borreliosis			Severe fever with thrombocytopenia syndrome			Zika virus infection		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	5	8	3	61	35	1	2	0
Seoul	0	2	3	0	4	2	0	0	0
Busan	0	0	0	0	1	1	0	0	0
Daegu	0	0	0	0	2	1	0	0	0
Incheon	0	0	1	0	0	0	0	0	0
Gwangju	0	0	0	0	1	0	0	0	0
Daejeon	0	0	0	0	3	0	0	0	0
Ulsan	0	0	0	0	4	1	0	0	0
Sejong	0	0	0	0	0	0	0	0	0
Gyeonggi	0	1	2	1	7	4	1	2	0
Gangwon	0	0	0	1	4	3	0	0	0
Chungbuk	0	0	0	0	2	2	0	0	0
Chungnam	0	0	1	0	2	3	0	0	0
Jeonbuk	0	0	0	0	6	2	0	0	0
Jeonnam	0	0	0	0	2	2	0	0	0
Gyeongbuk	0	0	0	1	10	5	0	0	0
Gyeongnam	0	2	1	0	9	6	0	0	0
Jeju	0	0	0	0	4	3	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



II. Sentinel-Reporting Infectious Diseases

1. Influenza, week ending June 14, 2025 (24th Week)

- Weekly proportion of influenza-like illness per 1,000 outpatients: 5.2 cases (=0.5%)
- Trend: decrease from 6.7 cases in 23rd week of 2025
- Sentinel reporting sites: 300 primary clinics
- ※ 2024-2025 outbreak standard: 8.6 cases/(1,000)




Figure 1. Weekly proportion of influenza-like illness per 1,000 outpatients, 2019-2020 to 2024-2025 flu seasons

2. Hand, Foot and Mouth Disease (HFMD), week ending June 21, 2025 (25th Week)

- Weekly proportion of hand, foot and mouth disease (HFMD) per 1,000 outpatients: 5.8 cases
- Trend: increase from 2.7 cases in 24th week of 2025
- Sentinel reporting sites: 108 pediatric clinics




Figure 2. Weekly proportion of clinically suspected HFMD case per 1,000 outpatients, 2021-2025

3. Ophthalmologic infectious diseases, week ending June 21, 2025 (25th Week)

- Weekly proportion of clinically suspected epidemic keratoconjunctivitis per 1,000 outpatients: 10.6 cases
- Trend: decrease from 10.9 cases in 24th week of 2025
- Sentinel reporting sites: 85 clinics




Figure 3. Weekly proportion of clinically suspected epidemic keratoconjunctivitis case per 1,000 outpatients, 2021-2025

- Weekly proportion of clinically suspected acute hemorrhagic conjunctivitis case per 1,000 outpatients: 0.5 case
- Trend: no change from 0.5 case in 24th week of 2025
- Sentinel reporting sites: 85 clinics




Figure 4. Weekly proportion of clinically suspected acute hemorrhagic conjunctivitis case per 1,000 outpatients, 2021-2025

4. Sexually Transmitted Diseases[†], week ending June 21, 2025 (25th Week)

- **Cases per sentinel:**

3.5 for Human Papilloma virus infection, 2.7 for Genital herpes, 1.7 for Chlamydia, 1.6 for Condyloma acuminata, 1.2 for Gonorrhea

- **Variation from 24th week of 2025**

increase: Human Papilloma virus infection (3.2→3.5), Genital herpes (2.3→2.7), Chlamydia (1.5→1.7), Condyloma acuminata (1.4→1.6)

decrease: Gonorrhea (1.3→1.2)

- **Sentinel reporting sites: 561 hospitals/clinics**

※ No. of reported sites in 25th week: 18 for Gonorrhea, 60 for Chlamydia, 72 for Genital herpes, 22 for Condyloma acuminata, 58 for Human Papilloma virus infection

Gonorrhea			Chlamydia			Genital herpes		
Current week	Cum. 2024	Cum. 5-year average [§]	Current week	Cum. 2024	Cum. 5-year average [§]	Current week	Cum. 2024	Cum. 5-year average [§]
1.2	3.1	4.4	1.7	10.4	11.3	2.7	27.5	26.2

Condyloma acuminata			Human Papilloma virus infection		
Current week	Cum. 2024	Cum. 5-year average [§]	Current week	Cum. 2024	Cum. 5-year average [§]
1.6	8.5	9.6	3.5	51.0	39.5

Cum: Cumulative counts from 1st week to current week in a year

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

III. Waterborne and Foodborne Infectious Diseases

1. Waterborne and foodborne disease outbreaks, week ending June 21, 2025 (25th Week)

- No. of reported cases: 17 outbreaks with 356 patients (cumulative no.: 317 outbreaks with 6,273 patients)
- Trend: increase from 11 outbreaks in 24th week of 2025




Figure 5. Number of waterborne and foodborne disease outbreaks reported by week, 2024-2025

IV. Laboratory-based Pathogen Surveillance: Influenza and Respiratory Viruses

1. Influenza viruses, week ending June 21, 2025 (25th Week)

- Weekly reported number of specimens positive for influenza: 1.7%
[influenza subtype: A(H1N1)pdm09 0.7%, A(H3N2) 0.0%, B 1.0%]
- Variation (%p): decrease from 2.3% in 24th week of 2025
- Sentinel reporting sites: 106 hospitals/clinics




Figure 6. Number of specimens positive for influenza by subtype, 2024-2025 flu season

2. Respiratory viruses, week ending June 21, 2025 (25th Week)

- Detection rate: 61.2% (cumulative mean proportion during preceding three weeks plus current week: 74.1%)
- Variation (%p): decrease from 77.6% in 24th week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 106 hospitals/clinics

2025 (week)		Weekly total	Detection rate (%)								
		Detection rate (%)	HAdV	HBoV	HPIV	HRSV	HRV	HMPV	HCoV	IFV	SARS-CoV-2
2025	22	76.4	9.4	11.2	15.6	0.3	23.6	3.8	1.2	3.5	7.7
	23	82.2	5.8	14.9	19.0	0.4	23.6	2.5	2.9	5.4	7.9
	24	77.6	6.6	7.2	19.7	0.3	27.3	1.6	2.6	2.3	9.9
	25	61.2	3.4	10.3	14.4	0.0	18.9	2.4	0.3	1.7	9.6
Cum.※		74.1	6.5	10.7	17.1	0.3	23.4	2.6	1.7	3.1	8.8
2024 Cum.▽		65.1	5.8	3.1	5.4	5.2	15.4	4.5	2.6	8.9	14.2

- HAdV : human Adenovirus, HPIV : human Parainfluenza virus, HRSV : human Respiratory syncytial virus, IFV : Influenza virus, HCoV : human Coronavirus, HRV : human Rhinovirus, HBoV : human Bocavirus, HMPV : human Metapneumovirus

※ Cum. : the rate of detected cases between May 25, 2025 - June 21, 2025

▽ 2024 Cum. : the rate of detected cases between December 31, 2023 - December 28, 2024

V. Laboratory-based Pathogen Surveillance: Acute Gastroenteritis Viruses/Bacteria

1. Acute gastroenteritis-causing virus, week ending June 14, 2025 (24th Week)

- Detection rate: 25.0% (cumulative mean proportion in 2025: 990 cases [52.5%] out of 1,886 specimens)
- Variation (%p): decrease from 31.6% in 23rd week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 72 hospitals/clinics

Week			No. of detection (Detection rate, %)											
			Norovirus		Group A Rotavirus		Enteric Adenovirus		Astrovirus		Sapovirus		Total	
2025	21	83	18	(21.7)	3	(3.6)	4	(4.8)	1	(1.2)	3	(3.6)	29	(34.9)
	22	64	9	(14.1)	0	(0.0)	3	(4.7)	1	(1.6)	1	(1.6)	14	(21.9)
	23	76	18	(23.7)	1	(1.3)	3	(3.9)	0	(0.0)	2	(2.6)	24	(31.6)
	24	60	4	(6.7)	2	(3.3)	3	(5.0)	3	(5.0)	3	(5.0)	15	(25.0)
2025 Cum.		1,886	756	(40.1)	106	(5.6)	81	(4.3)	31	(1.6)	16	(0.8)	990	(52.5)

* The samples were collected from children ≤5 years of sporadic acute gastroenteritis in Korea.

2. Acute gastroenteritis-causing bacteria, week ending June 14, 2025 (24th Week)

- Detection rate: 16.7% (cumulative mean proportion in 2025: 673 cases [10.4%] out of 6,468 specimens)
- Variation (%p): increase from 16.4% in 23rd week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 77 hospitals/clinics

Week			No. of isolation (Isolation rate, %)									
			<i>Salmonella</i> spp.	Pathogenic <i>E.coli</i>	<i>Shigella</i> spp.	<i>V. parahaemolyticus</i>	<i>V. cholerae</i>	<i>Campylobacter</i> spp.	<i>C. perfringens</i>	<i>S. aureus</i>	<i>B. cereus</i>	Total
2025	21	318	9 (2.8)	8 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.3)	4 (1.3)	12 (3.8)	9 (2.8)	44 (13.8)
	22	282	11 (3.9)	13 (4.6)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	6 (2.1)	7 (2.5)	8 (2.8)	45 (16.0)
	23	238	14 (5.9)	9 (3.8)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	3 (1.3)	9 (3.8)	2 (0.8)	39 (16.4)
	24	239	7 (2.9)	15 (6.3)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.4)	6 (2.5)	7 (2.9)	4 (1.7)	40 (16.7)
2025 Cum.		6,468	128 (2.0)	151 (2.3)	0 (0.0)	0 (0.0)	0 (0.0)	17 (0.3)	101 (1.6)	167 (2.6)	105 (1.6)	673 (10.4)

* Bacterial Pathogens ; *Salmonella* spp., *E. coli* (EHEC, ETEC, EPEC, EIEC), *Shigella* spp., *Vibrio parahaemolyticus*, *Vibrio cholerae*, *Campylobacter* spp., *Clostridium perfringens*, *Staphylococcus aureus*, *Bacillus cereus*, *Listeria monocytogenes*, *Yersinia enterocolitica*.

* Hospital participating in Laboratory surveillance in 2025(77 hospitals)

VI. Laboratory-based Pathogen Surveillance: Enterovirus

1. Enterovirus, week ending June 14, 2025 (24th Week)

- Detection rate: 8.7% (2 cases / 23 specimens) (cumulative mean proportion in 2025: 5.4% [13 cases / 241 specimens])
 - Aseptic meningitis: 0 case (Cum. 2025: 0 case)
 - HFMD and herpangina: 2 cases (Cum. 2025: 6 cases)
 - HFMD with complications: 0 case (Cum. 2025: 0 case)
 - Other: 0 case (Cum. 2025: 7 cases)
- Variation (%p): increase from 7.7% in 23rd week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 83 hospitals/clinics




Figure 7. Detection of enterovirus in aseptic meningitis patients from 2023 to 2025




Figure 8. Detection of enterovirus in HFMD and herpangina patients from 2023 to 2025




Figure 9. Detection of enterovirus in HFMD with complications patients from 2023 to 2025

VII. Vector Surveillance: Malaria vector Mosquitoes

1. Malaria vector mosquitoes, week ending June 14, 2025 (24th Week)

- No. of malaria vector mosquitoes: 1.2
- Variation: decrease from 2.9 in 24th week of 2024
- Sentinel reporting sites: 4 city/province (87 sites)
- ※ No. of mosquitoes: average number of mosquitoes/trap/day




Figure 10. Weekly incidences of malaria vector mosquitoes

VIII. Vector Surveillance: Japanese encephalitis vector Mosquitoes

1. Japanese encephalitis vector mosquitoes, week ending June 21, 2025 (25th Week)

- No. of Japanese encephalitis vector mosquitoes: 1
- Variation: decrease from 7 in 25th week of 2024
- Sentinel reporting sites: 12 city/provincial health and environmental institutes
- ※ No. of mosquitoes (Trap index, TI): average number of mosquitoes/trap/day




Figure 11. Weekly incidence of Japanese encephalitis vector mosquitoes

About PHWR Surveillance Statistics of Infectious Diseases

The Public Health Weekly Report (PHWR) Surveillance Statistics of Infectious Disease is prepared by the Korea Disease Control and Prevention Agency (KCDA). These provisional surveillance data on the reported occurrence of national notifiable diseases and conditions are compiled through population-based or sentinel-based surveillance systems and published weekly, except for data on infrequent or recently-designated diseases. These surveillance statistics are informative for analyzing infectious disease or condition numbers and trends. However, the completeness of data might be influenced by some factors such as a date of symptom or disease onset, diagnosis, laboratory result, reporting of a case to a jurisdiction, or notification to Korea Disease Control and Prevention Agency. The official and final disease statistics are published in infectious disease surveillance yearbook annually.

Using and Interpreting These Data in Tables

- **Current Week** – The number of cases under current week denotes cases who have been reported to Korea CDC at the central level via corresponding jurisdictions(health centers, and health departments) during that week and accepted/approved by surveillance staff.
- **Cum. 2025** – For the current year, it denotes the cumulative(Cum) year-to-date provisional counts for the specified condition.
- **5-year weekly average** – The 5-year weekly average is calculated by summing, for the 5 preceding years, the provisional incidence counts for the current week, the two weeks preceding the current week, and the two weeks following the current week. The total sum of cases is then divided by 25 weeks. It gives help to discern the statistical aberration of the specified disease incidence by comparing difference between counts under current week and 5-year weekly average.

For example,

		Week Number				
		10	11	12	13	14
Year	2025			Current week		
	2024	X1	X2	X3	X4	X5
	2023	X6	X7	X8	X9	X10
	2022	X11	X12	X13	X14	X15
	2021	X16	X17	X18	X19	X20
	2020	X21	X22	X23	X24	X25

5-year weekly average for current week

$$= (X1 + X2 + \dots + X25) / 25$$

- **Cum. 5-year average** – Mean value calculated by cumulative counts from 1st week to current week for 5 preceding years. It gives help to understand the increasing or decreasing pattern of the specific disease incidence by comparing difference between cum. 2025 and cum. 5-year average.

Contact Us

Questions or comments about the PHWR Surveillance Statistics of Infectious Disease can be sent to phwrcdc@korea.kr