

제18권 제35호 2025. 9. 4.

I. 환자감사: 전수감시 감염병 주간 발생 현황

1. 2025년 35주차 보고 현황(2025. 8. 30. 기준)*

단위 : 보고환자수[†]

감염병*	금주	2025년 누계	5년간 추정 평균	연간현황					금주 해외유입현황 : 국가명 (신고수)
				2024	2023	2022	2021	2020	
제2급감염병									
결핵**	388	12,175	398	17,944	19,540	20,383	22,904	25,350	
수두	286	21,168	354	31,892	26,964	18,547	20,929	31,430	
홍역	0	67	0	49	8	0	0	6	
콜레라	0	0	0	0	0	0	0	0	
장티푸스	0	20	1	34	19	38	61	39	
파라티푸스	1	12	1	23	22	31	29	58	
세균성이질	1	40	0	41	37	31	18	29	
장출혈성대장균감염증	4	336	6	274	216	211	165	270	
A형간염	21	772	57	1,168	1,324	1,890	6,583	3,989	
백일해	29	5,448	173	48,048	292	31	21	123	
유행성이하선염	82	4,841	144	6,425	7,737	6,358	9,708	9,922	
풍진	0	0	0	0	0	0	0	0	
수막구균 감염증	1	8	0	17	11	3	2	5	
폐렴구균 감염증	4	316	5	451	431	339	269	345	
한센병	0	1	0	5	3	2	5	3	
성홍열	165	9,104	36	6,642	815	505	678	2,300	
반코마이신내성황색포도알균 (VRSA) 감염증	0	2	0	1	2	1	2	9	
카바페넴내성장내세균목 (CRE) 감염증	839	32,466	719	42,347	38,405	30,548	23,311	18,113	
E형간염	19	554	-	756	572	528	494	191	
제3급감염병									
파상풍	0	15	1	29	24	23	21	30	
B형간염	3	162	7	315	315	332	453	382	
일본뇌염	0	0	1	21	17	11	23	7	
C형간염	63	3,834	157	6,444	7,249	8,308	10,115	11,849	
말라리아	20	480	17	713	747	420	294	385	남수단(2), 르완다(1)
레지오넬라증	6	342	11	452	476	415	383	368	
비브리오패혈증	1	16	4	49	69	46	52	70	
발진열	0	9	0	60	21	4	9	1	
쯔쯔가무시증	4	210	25	6,268	5,663	6,235	5,915	4,479	
렙토스피라증	0	23	2	70	59	125	144	114	
브루셀라증	0	5	0	5	5	5	4	8	
신증후군출혈열	2	116	5	373	452	302	310	270	
후천성면역결핍증(AIDS)***	12	435	17	714	749	824	770	816	
크로이츠펔트-야콥병(CJD)	0	37	1	67	67	61	67	64	
뎅기열	3	69	3	196	206	103	3	43	인도(1), 인도네시아(1), 필리핀(1)
큐열	2	46	2	57	57	56	46	69	
라임병	0	21	1	34	45	22	8	18	
유비저	0	4	0	2	2	2	2	1	
치쿤구니야열	0	1	0	9	13	8	0	1	
중증열성혈소판감소증후군(SFTS)	3	165	7	170	198	193	172	243	
지카바이러스감염증	0	3	0	0	2	3	0	1	
엡폭스(원숭이두창)	0	10	-	17	151	4	-	-	
매독	43	1,490	-	2,790	-	-	-	-	
매독(1기)	15	505	-	983	-	-	-	-	
매독(2기)	12	298	-	524	-	-	-	-	
매독(3기)	0	38	-	51	-	-	-	-	
매독(선천성)	0	8	-	12	-	-	-	-	
매독(잠복)	16	641	-	1,220	-	-	-	-	리투아니아(1), 필리핀(1)

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

** 결핵은 2025년부터 전제환자(신환자(초치료자), 재치료자(재발자, 실패 후 재치료자, 중단 후 재치료자, 이전 치료결과 불명확), 과거 치료여부 불명확) 수로 산출함

*** 후천성면역결핍증(AIDS) 통계는 내국인만 집계된 통계이며, HIV 감염을 모두 포함함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고건을 포함하며, AIDS는 내국인만을 포함함

‡ 미포함 질병: 에볼라바이러스병, 마버그열, 라싸열, 크리미안콩고출혈열, 남아메리카출혈열, 리프트밸리열, 두창, 페스트, 탄저, 보툴리눔독소증, 야토병, 신종감염병증후군, 중증급성호흡기증후군(SARS), 중증호흡기증후군(MERS), 동물인플루엔자 인체감염증, 신종인플루엔자, 디프테리아, 폴리오, b형헤모필루스인플루엔자, 발진티푸스, 풍수병, 황열, 웨스트나일열, 지드기매개뇌염

§ 최근 5년(2020~2024년)의 해당 주의 신고 건수와 이전 2주, 이후 2주 동안의 신고 건수(총 25주) 평균임

2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†

지역	제2급감염병											
	결핵**			수두			홍역			콜레라		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	388	12,175	13,637	286	21,168	18,088	0	67	11	0	0	0
서울	55	1,973	2,265	27	2,436	2,174	0	17	2	0	0	0
부산	23	752	885	19	1,311	1,014	0	1	0	0	0	0
대구	17	566	653	25	1,454	957	0	0	0	0	0	0
인천	19	676	710	19	845	851	0	2	0	0	0	0
광주	7	243	297	15	579	652	0	8	0	0	0	0
대전	9	275	292	4	591	482	0	0	0	0	0	0
울산	14	267	258	4	451	459	0	0	0	0	0	0
세종	5	44	53	4	168	173	0	0	2	0	0	0
경기	81	2,629	3,040	52	6,530	4,877	0	13	0	0	0	0
강원	13	517	577	2	777	542	0	2	0	0	0	0
충북	17	433	454	3	656	655	0	2	1	0	0	0
충남	18	679	709	10	772	649	0	0	1	0	0	0
전북	15	534	562	6	534	694	0	0	0	0	0	0
전남	23	714	775	18	864	845	0	10	0	0	0	0
경북	46	933	1,055	36	1,211	940	0	3	4	0	0	0
경남	24	788	885	38	1,666	1,582	0	7	1	0	0	0
제주	2	152	167	4	323	542	0	2	0	0	0	0


* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

** 결핵은 2025년부터 전체환자(신환자(초치료자), 재치료자(재발자, 실패 후 재치료자, 중단 후 재치료자, 이전 치료결과 불명확), 과거 치료여부 불명확) 수로 산출함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†


지역	제2급감염병											
	장티푸스			파라티푸스			세균성이질			장출혈성대장균감염증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	20	27	1	12	19	1	40	24	4	336	171
서울	0	0	5	0	3	2	0	9	2	0	55	20
부산	0	5	2	1	5	3	1	5	2	0	11	5
대구	0	0	1	0	1	2	0	0	0	2	9	8
인천	0	1	2	0	0	1	0	2	2	0	21	6
광주	0	0	0	0	0	1	0	2	1	0	25	22
대전	0	1	1	0	0	0	0	3	2	0	9	6
울산	0	0	2	0	0	0	0	0	1	0	4	3
세종	0	0	0	0	0	0	0	1	0	0	1	2
경기	0	2	7	0	1	5	0	4	8	0	111	46
강원	0	0	1	0	1	1	0	0	0	0	6	5
충북	0	0	0	0	0	0	0	3	0	1	11	3
충남	0	2	0	0	0	1	0	3	1	0	19	6
전북	0	0	1	0	0	0	0	4	1	0	5	5
전남	0	0	1	0	1	1	0	2	2	1	16	9
경북	0	8	1	0	0	0	0	1	1	0	21	10
경남	0	1	3	0	0	2	0	1	1	0	7	10
제주	0	0	0	0	0	0	0	0	0	0	5	5

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†


지역	제2급감염병											
	A형간염			백일해			유행성이하선염			풍진		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	21	772	2,073	29	5,448	4,022	82	4,841	5,577	0	0	0
서울	5	126	414	2	505	529	9	633	726	0	0	0
부산	1	31	53	7	503	163	2	186	274	0	0	0
대구	0	17	47	1	377	64	2	282	247	0	0	0
인천	0	44	172	1	265	520	2	271	296	0	0	0
광주	0	21	40	0	136	90	3	135	167	0	0	0
대전	1	32	64	2	123	123	3	125	152	0	0	0
울산	0	9	18	3	231	13	4	203	176	0	0	0
세종	0	4	14	1	259	5	0	24	46	0	0	0
경기	9	208	737	2	1,254	1,201	20	1,444	1,653	0	0	0
강원	0	23	48	0	201	64	4	180	207	0	0	0
충북	1	33	81	1	148	79	2	156	158	0	0	0
충남	1	36	124	2	265	80	9	262	259	0	0	0
전북	0	61	95	1	165	136	7	143	218	0	0	0
전남	3	34	46	2	242	144	2	178	249	0	0	0
경북	0	45	51	0	197	181	7	210	232	0	0	0
경남	0	28	36	4	450	510	4	334	420	0	0	0
제주	0	20	33	0	127	120	2	74	97	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†


지역	제2급감염병						제3급감염병					
	수막구균 감염증			성홍열			파상풍			B형간염		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	1	8	5	165	9,104	1,480	0	15	17	3	162	234
서울	0	0	2	26	1,185	233	0	1	2	0	25	37
부산	0	1	0	4	480	82	0	1	1	0	13	14
대구	0	1	0	2	215	18	0	1	1	0	4	8
인천	0	0	0	19	948	106	0	2	1	0	11	15
광주	0	2	0	4	381	79	0	0	0	0	3	5
대전	0	0	0	3	265	34	0	0	0	1	8	7
울산	0	0	0	2	139	38	0	0	0	0	4	3
세종	0	0	0	2	52	4	0	0	0	0	0	1
경기	0	3	3	55	2,700	493	0	3	3	2	37	70
강원	0	0	0	4	361	60	0	0	1	0	5	7
충북	0	0	0	6	260	38	0	0	1	0	6	7
충남	1	1	0	18	507	59	0	2	3	0	13	14
전북	0	0	0	1	143	24	0	2	1	0	3	9
전남	0	0	0	2	134	40	0	0	1	0	10	10
경북	0	0	0	6	476	69	0	0	1	0	6	9
경남	0	0	0	9	783	80	0	3	1	0	13	15
제주	0	0	0	2	75	23	0	0	0	0	1	3

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†


지역	제3급감염병											
	일본뇌염			말라리아			레지오넬라증			비브리오패혈증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	0	0	20	480	389	6	342	275	1	16	22
서울	0	0	0	1	57	52	2	87	61	0	1	3
부산	0	0	0	0	7	4	0	18	11	0	4	2
대구	0	0	0	0	2	3	1	18	15	0	0	0
인천	0	0	0	3	83	60	0	18	20	0	1	1
광주	0	0	0	0	2	2	0	4	5	0	0	1
대전	0	0	0	1	3	4	0	12	4	0	0	0
울산	0	0	0	0	5	2	0	4	2	0	0	0
세종	0	0	0	0	1	0	0	2	1	0	0	0
경기	0	0	0	12	268	225	1	83	72	0	1	4
강원	0	0	0	2	27	15	1	7	5	0	0	0
충북	0	0	0	0	3	3	0	5	8	0	0	0
충남	0	0	0	0	3	5	0	4	7	0	4	2
전북	0	0	0	0	2	3	0	9	7	0	0	1
전남	0	0	0	1	8	5	0	7	14	0	2	4
경북	0	0	0	0	5	3	0	27	13	0	1	1
경남	0	0	0	0	4	2	1	28	12	1	2	3
제주	0	0	0	0	0	1	0	9	18	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†


지역	제3급감염병											
	발진열			쯔쯔가무시증			렙토스피라증			브루셀라증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	9	7	4	210	727	0	23	45	0	5	4
서울	0	0	0	0	5	15	0	0	1	0	0	0
부산	0	1	1	0	6	21	0	2	2	0	0	0
대구	0	0	0	0	1	7	0	0	1	0	0	0
인천	0	2	2	0	1	6	0	0	1	0	0	0
광주	0	0	0	0	4	18	0	2	2	0	0	0
대전	0	0	0	1	7	12	0	0	1	0	0	0
울산	0	4	0	0	1	9	0	0	0	0	0	0
세종	0	0	0	0	1	3	0	0	1	0	0	0
경기	0	1	1	0	9	36	0	3	3	0	1	1
강원	0	0	0	0	4	7	0	0	2	0	0	0
충북	0	0	0	0	6	12	0	2	2	0	0	0
충남	0	1	0	0	22	57	0	3	9	0	1	0
전북	0	0	1	0	35	127	0	3	6	0	0	1
전남	0	0	1	3	47	221	0	3	7	0	1	1
경북	0	0	0	0	8	18	0	3	4	0	0	0
경남	0	0	1	0	48	151	0	2	3	0	2	1
제주	0	0	0	0	5	7	0	0	0	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†


지역	제3급감염병											
	신증후군출혈열			크로이츠펔트-야콥병(CJD)			뎡기열			큐열		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	2	116	152	0	37	44	3	69	67	2	46	90
서울	0	4	2	0	7	10	2	20	21	0	3	10
부산	0	2	2	0	3	4	0	5	4	0	0	2
대구	0	1	3	0	0	2	0	3	1	0	2	1
인천	0	3	2	0	3	2	0	9	4	0	1	9
광주	0	4	3	0	1	1	0	0	2	0	0	1
대전	0	5	1	0	1	2	0	3	0	0	1	3
울산	0	0	1	0	2	1	0	1	1	0	0	1
세종	0	0	1	0	0	0	0	0	0	0	0	0
경기	0	21	23	0	10	11	1	13	22	0	15	38
강원	0	3	14	0	1	2	0	1	1	0	0	2
충북	0	6	3	0	0	1	0	2	1	1	5	6
충남	1	20	17	0	2	1	0	2	2	1	8	5
전북	1	12	28	0	1	1	0	1	2	0	1	2
전남	0	17	28	0	2	2	0	4	2	0	4	4
경북	0	8	9	0	0	1	0	1	1	0	2	4
경남	0	9	12	0	3	2	0	2	3	0	4	2
제주	0	1	3	0	1	1	0	2	0	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



2. 지역별 보고 현황(2025. 8. 30. 기준)(35주차)*

단위 : 보고환자수†

지역	제3급감염병								
	라임병			중증열성혈소판감소증후군(SFTS)			지카바이러스감염증		
	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡	금주	2025년 누계	5년 누계 평균‡
전국	0	21	14	3	165	107	0	3	0
서울	0	4	4	0	9	5	0	1	0
부산	0	2	0	0	5	1	0	0	0
대구	0	0	0	0	10	6	0	0	0
인천	0	0	2	0	1	1	0	0	0
광주	0	0	0	0	2	1	0	0	0
대전	0	0	0	0	4	1	0	0	0
울산	0	0	0	0	6	3	0	0	0
세종	0	0	0	0	1	1	0	0	0
경기	0	11	3	1	21	16	0	2	0
강원	0	0	1	0	13	12	0	0	0
충북	0	0	0	0	10	4	0	0	0
충남	0	0	2	0	9	8	0	0	0
전북	0	0	0	1	14	7	0	0	0
전남	0	1	0	0	6	7	0	0	0
경북	0	0	1	0	22	15	0	0	0
경남	0	3	1	1	19	11	0	0	0
제주	0	0	0	0	13	8	0	0	0

* 2025년 통계는 변동가능한 잠정통계이며, 2025년 누계는 1주부터 금주까지의 누계를 말함

† 각 감염병별로 규정된 신고범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함함

‡ 최근 5년(2020~2024년)의 1주부터 해당 주까지 누계의 평균임

※ 금주 감염병별 시도 보고 환자수 현황



II. 환자감시 : 표본감시 감염병 주간 발생 현황

1. 인플루엔자 주간 발생 현황(34주차, 2025. 8. 23. 기준)

- 외래환자 1,000명당 의사환자분율(ILI): 6.0명(=0.6%)
- 변동(주간): 2025년 33주차(5.8명) 대비 증가
- 표본보고기관: 300개 의료기관
- ※ 2024-2025절기 유행기준은 8.6명(1,000)




그림 1. 외래환자 1,000명당 인플루엔자 의사환자 발생 현황

2. 수족구병 발생 주간 현황(35주차, 2025. 8. 30. 기준)

- 외래환자 1,000명당 의사환자분율: 20.8명
- 변동(주간): 2025년 34주차(21.0명) 대비 감소
- 표본보고기관: 전국 94개 의료기관




그림 2. 외래환자 1,000명당 수족구병 의사환자 발생 현황, 2021-2025

3. 안과 감염병 주간 발생 현황(35주차, 2025. 8. 30. 기준)

- 외래환자 1,000명당 유행성각결막염 의사환자분율: 9.4명
- 변동(주간): 2025년 34주차(8.6명) 대비 증가
- 표본보고기관: 전국 85개 의료기관




그림 3. 외래환자 1,000명당 유행성각결막염 의사환자 발생 현황, 2021-2025

- 외래환자 1,000명당 급성출혈성결막염 의사환자분율: 0.4명
- 변동(주간): 2025년 34주차(0.5명) 대비 감소
- 표본보고기관: 전국 85개 의료기관




그림 4. 외래환자 1,000명당 급성출혈성결막염 의사환자 발생 현황, 2021-2025

4. 성매개감염병 주간 발생 현황(35주차, 2025. 8. 30. 기준)

- 보고기관 당 환자수: 사람유두종바이러스 감염증 4.1건, 성기단순포진 3.1건, 클라미디아 감염증 1.7건, 침균콘딜롬 1.4건, 임질 1.0건을 신고함
- 변동(주간)
증가: 사람유두종바이러스 감염증(4.0→4.1), 성기단순포진(2.2→3.1), 클라미디아 감염증(1.3→1.7)
동일: 임질(1.0→1.0)
감소: 침균콘딜롬(1.7→1.4)
- 표본보고기관: 전국 보건소 및 의료기관 562개
- * 제35주차 신고의료기관 수: 임질 6개, 클라미디아 감염증 42개, 성기단순포진 65개, 침균콘딜롬 22개, 사람유두종바이러스 감염증 57개

단위 : 신고수/신고기관 수

임질			클라미디아 감염증			성기단순포진		
금주	2025년 누적	최근 5년 누적 평균 [§]	금주	2025년 누적	최근 5년 누적 평균 [§]	금주	2025년 누적	최근 5년 누적 평균 [§]
1.0	3.6	5.5	1.7	13.2	14.9	3.1	37.5	35.5

침균콘딜롬			사람유두종바이러스 감염증		
금주	2025년 누적	최근 5년 누적 평균 [§]	금주	2025년 누적	최근 5년 누적 평균 [§]
1.4	10.8	12.6	4.1	68.1	53.0

누계 : 매년 첫 주부터 금주까지의 보고 누계

† 각 질병별로 규정된 신고 범위(환자, 의사환자, 병원체보유자)의 모든 신고 건을 포함

§ 최근 5년('20-'24) 누적 평균(Cum. 5-year average) : 최근 5년 1주차부터 금주까지 누적 환자 수 평균

III. 수인성 및 식품매개 감염병 주간 발생 현황

1. 수인성 및 식품매개 감염병 집단발생 주간 현황(35주차, 2025. 8. 30. 기준)

- 수인성 및 식품매개 감염병 집단발생: 16건, 409명(금년 누적 발생: 441건, 9,155명)
- 변동(주간): 2025년 34주차(15건) 대비 증가




그림 5. 수인성 및 식품매개 감염병 집단발생 현황, 2024-2025

IV. 병원체감시 : 인플루엔자 및 호흡기바이러스

1. 인플루엔자 바이러스 주간 현황(35주차, 2025. 8. 30. 기준)

- 인플루엔자 양성률: 1.1%
[인플루엔자 아형: A(H1N1)pdm09 0.54%, A(H3N2) 0.54%, B 0.0%]
- 변동(주간): 2025년 34주차(1.4%) 대비 감소
- 표본보고기관: 106개 의료기관




그림 6. 인플루엔자 바이러스 검출 현황, 2024-2025절기

2. 호흡기 바이러스 주간 현황(35주차, 2025. 8. 30. 기준)

- 호흡기바이러스 양성률: 72.6%(금주 및 최근 3주 누적 분율: 72.5%)
- 변동(주간): 2025년 34주차(72.2%) 대비 증가
- 표본보고기관: 18개 시·도 보건환경연구원 및 106개 의료기관

※ 주별통계는 잠정통계이므로 변동가능

주		주별	검출률 (%)								
		검출률 (%)	아데노 바이러스	보카 바이러스	파라 인플루엔자 바이러스	호흡기 세포융합 바이러스	리노 바이러스	메타뉴모 바이러스	코로나 바이러스	인플루엔자 바이러스	코로나19 바이러스
2025	32	74.8	3.9	3.6	18.6	0.0	14.4	1.0	1.0	0.3	32.0
	33	69.4	3.8	1.3	14.9	1.7	14.5	0.9	0.4	0.4	31.5
	34	72.2	3.1	3.1	14.2	1.0	13.2	2.1	1.4	1.4	32.6
	35	72.6	4.9	2.2	13.0	1.6	10.0	1.1	1.1	1.1	37.7
4주 누적※		72.5	4.0	2.6	15.1	1.1	12.8	1.3	1.0	0.8	33.8
2024년 누적▽		65.1	5.8	3.1	5.4	5.2	15.4	4.5	2.6	8.9	14.2

※ 4주 누적 : 2025년 8월 3일 - 2025년 8월 30일 검출률임

▽ 2024년 누적 : 2023년 12월 31일 - 2024년 12월 28일 검출률임

V. 병원체감시 : 급성설사질환 바이러스 및 세균

1. 급성설사 바이러스 주간 검출 현황(34주차, 2025. 8. 23. 기준)

- 급성설사 바이러스 검출률: 16.9% (12건 양성 / 71 검체) [2025년 누적분율: 41.7% (1,107건 양성 / 2,654 검체)]
- 변동(주간): 2025년 33주차(10.3%) 대비 증가
- 표본보고기관: 18개 시·도 보건환경연구원 및 72개 의료기관

주	검체수	검출 건수(검출률, %)											
		노로바이러스		그룹 A 로타바이러스		장내 아데노바이러스		아스트로 바이러스		사포 바이러스		합계	
2025	31	93	2 (2.2)	1 (1.1)	4 (4.3)	3 (3.2)	4 (4.3)	14	(15.1)				
	32	75	4 (5.3)	0 (0.0)	4 (5.3)	1 (1.3)	1 (1.3)	10	(13.3)				
	33	78	1 (1.3)	0 (0.0)	0 (0.0)	5 (6.4)	2 (2.6)	8	(10.3)				
	34	71	3 (4.2)	0 (0.0)	1 (1.4)	3 (4.2)	5 (7.0)	12	(16.9)				
2025년 누적		2,654	798 (30.1)	116 (4.4)	101 (3.8)	55 (2.1)	37 (1.4)	1,107	(41.7)				

* 검체는 5세 이하 아동의 급성설사질환자에게서 수집됨.

2. 급성설사 세균 주간 검출 현황(34주차, 2025. 8. 23. 기준)

- 급성설사 세균 검출률: 34.2% (77건 양성 / 225 검체) [2025년 누적분율: 16.2% (1,541건 양성 / 9,528 검체)]
- 변동(주간): 2025년 33주차(32.1%) 대비 증가
- 표본보고기관: 18개 시·도 보건환경연구원 및 76개 의료기관

주		검체수	분리 건수 (분리율, %)									
			살모넬라균	병원성 대장균	세균성 이질균	장염 비브리오균	비브리오 콜레라균	캠필로 박터균	클로스 트리듐 퍼프린젠스	황색 포도알균	바실루스 세레우스	합계
2025	31	329	22 (6.7)	40 (12.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.3)	9 (2.7)	11 (3.3)	9 (2.7)	93 (28.3)
	32	306	22 (7.2)	27 (8.8)	0 (0.0)	0 (0.0)	0 (0.0)	9 (2.9)	9 (2.9)	9 (2.9)	15 (4.9)	91 (29.7)
	33	299	24 (8.0)	40 (13.4)	0 (0.0)	0 (0.0)	0 (0.0)	4 (1.3)	10 (3.3)	10 (3.3)	7 (2.3)	96 (32.1)
	34	225	13 (5.8)	38 (16.9)	0 (0.0)	0 (0.0)	0 (0.0)	3 (1.3)	3 (1.3)	9 (4.0)	11 (4.9)	77 (34.2)
2025년 누적		9,528	344 (3.6)	487 (5.1)	1 (0.01)	0 (0.0)	0 (0.0)	63 (0.7)	169 (1.8)	253 (2.7)	214 (2.2)	1,541 (16.2)

VI. 병원체감시 : 엔테로바이러스

1. 엔테로바이러스 주간 검출 현황(34주차, 2025. 8. 23. 기준)

- 엔테로바이러스 검출률: 55.9% (19 양성 / 34 검체) [2025년 누적분율: 43.5% (306건 양성 / 704 검체)]
 - 무균성수막염: 0건(2025년 누계: 2건)
 - 수족구병 및 포진성구협염: 17건(2025년 누계: 249건)
 - 합병증 동반 수족구병: 0건(2025년 누계: 2건)
 - 기타: 2건(2025년 누계: 53건)
- 변동(주간): 2025년 33주차(75.0%) 대비 감소
- 표본보고기관: 18개 시·도 보건환경연구원 및 83개 의료기관



그림 7. 무균성수막염에서 엔테로바이러스 검출건수, 2023-2025




그림 8. 수족구 및 포진성구협염에서 엔테로바이러스 검출건수, 2023-2025



그림 9. 합병증 동반 수족구병에서 엔테로바이러스 검출건수, 2023-2025

VII. 매개체감시 : 말라리아 매개모기

1. 말라리아 매개모기 주간 검출 현황(34주차, 2025. 8. 23. 기준)

- 말라리아 매개모기 검출수: 7.9개체
- 변동: 평년 6.5개체 대비 증가, 전년 6.9개체 대비 증가
- * 전체 채집 모기 7,116개체 중 말라리아 매개모기는 2,794개체가 채집됨
- 표본보고기관: 4개 시·도(서울, 인천, 경기, 강원/87개 지점)
- ※ 모기수 산출법(모기지수): 1주일간 유문등에 채집된 모기의 평균수(개체수/트랩/일)




그림 10. 말라리아 매개모기 주간 발생 현황

VIII. 매개체감시 : 일본뇌염 매개모기

1. 일본뇌염 매개모기 주간 검출 현황(35주차, 2025. 8. 30. 기준)

- 일본뇌염 매개모기 검출수: 228개체(Japanese encephalitis vector, JEV)
- 변동: 평년 286개체 대비 감소, 전년 331개체 대비 감소
- 표본보고기관: 12개 시·도 보건환경연구원(부산, 대구, 울산, 강원, 충북, 충남, 세종, 전북, 전남, 경북, 경남, 제주/14개 지점)
- ※ 모기수 산출법(모기지수): 유문등에 채집된 모기의 평균수(개체수/트랩/일)
- ※ 평년: 최근 3년(2022-2024년)의 평균값




그림 11. 일본뇌염 매개모기 주간 발생 현황

IX. 매개체감시 : 중증열성혈소판감소증후군(SFTS) 매개참진드기

1. 중증열성혈소판감소증후군 매개참진드기 월간 발생 현황(34주차, 2025. 8. 23. 기준)

- 참진드기 지수(T.I.): 63.5로 3년 평균(2022~2024) 동기간(81.4) 대비 21.9% 낮은 수준이며, 전년 동기간(89.8) 대비 29.2% 낮은 수준
- 표본보고기관: 11개 시·도(총 16개 지점)
- ※ 참진드기 산출법: 1일간 채집된 참진드기의 평균수(개체수/트랩)




그림 12. SFTS 매개참진드기 수

주요 통계 이해하기

<통계표 1>은 지난 5년간 발생한 법정감염병과 2024년 해당 주 발생현황을 비교한 표로, **금주 환자 수(Current week)**는 2025년 해당주의 신고 건수를 나타내며, **2025년 누계 환자 수(Cum. 2025)**는 2025년 1주부터 해당 주까지의 누계 건수, 그리고 **5년 주 평균 환자 수(5-year weekly average)**는 지난 5년(2020-2024년) 해당 주의 신고 건수와 이전 2주, 이후 2주의 신고 건수(총 25주) 평균으로 계산된다. 그러므로 금주 환자 수(Current week)와 5년 주 평균 환자 수(5-year weekly average)의 신고 건수를 비교하면 해당 주 단위 시점과 예년의 신고 수준을 비교해 볼 수 있다. 연도별 환자 수(Total no. of cases by year)는 지난 5년간 해당 감염병 현황을 나타내는 확정 통계이며 연도별 현황을 비교해 볼 수 있다.

예) 2024년 12주의 5년 주 평균 환자 수(5-year weekly average)는 2020년부터 2024년의 10주부터 14주까지의 신고 건수를 총 25주로 나눈 값으로 구해진다.

$$* \text{5년 주 평균 환자 수(5-year weekly average)} = (X1 + X2 + \dots + X25) / 25$$

	10주	11주	12주	13주	14주
2025년			해당 주		
2024년	X1	X2	X3	X4	X5
2023년	X6	X7	X8	X9	X10
2022년	X11	X12	X13	X14	X15
2021년	X16	X17	X18	X19	X20
2020년	X21	X22	X23	X24	X25

<통계표 2>는 17개 시도 별로 구분한 법정감염병 보고 현황을 보여 주고 있으며, 감염병별로 최근 5년 누계 평균 환자 수(Cum, 5-year average)와 2025년 누계 환자 수(Cum, 2025)를 비교해 보면 최근까지의 누적 신고 건수에 대한 이전 5년 동안 해당 주까지의 평균 신고 건수와 비교를 할 수 있다. 최근 5년 누계 평균 환자 수(Cum, 5-year average)는 지난 5년(2020-2024년) 동안의 동 기간 신고 누계 평균으로 계산된다.

기타 표본감시 감염병에 대한 신고현황 그림과 통계는 최근 발생양상을 신속하게 파악하는 데 도움이 된다.

I. National Notifiable Infectious Diseases

1. Reported cases, week ending August 30, 2025 (35th Week)

Unit: no. of cases[†]

Classification of disease [‡]		Current week [*]	Cum. 2025 [*]	5-year weekly average	Total no. of cases by year					Imported cases of current week : Country (no. of cases)
					2024	2023	2022	2021	2020	
Category II										
	Tuberculosis**	388	12,175	398	17,944	19,540	20,383	22,904	25,350	
	Varicella	286	21,168	354	31,892	26,964	18,547	20,929	31,430	
	Measles	0	67	0	49	8	0	0	6	
	Cholera	0	0	0	0	0	0	0	0	
	Typhoid fever	0	20	1	34	19	38	61	39	
	Paratyphoid fever	1	12	1	23	22	31	29	58	
	Shigellosis	1	40	0	41	37	31	18	29	
	EHEC	4	336	6	274	216	211	165	270	
	Viral hepatitis A	21	772	57	1,168	1,324	1,890	6,583	3,989	
	Pertussis	29	5,448	173	48,048	292	31	21	123	
	Mumps	82	4,841	144	6,425	7,737	6,358	9,708	9,922	
	Rubella	0	0	0	0	0	0	0	0	
	Meningococcal disease	1	8	0	17	11	3	2	5	
	Pneumococcal disease	4	316	5	451	431	339	269	345	
	Hansen's disease	0	1	0	5	3	2	5	3	
	Scarlet fever	165	9,104	36	6,642	815	505	678	2,300	
	VRSA	0	2	0	1	2	1	2	9	
	CRE	839	32,466	719	42,347	38,405	30,548	23,311	18,113	
	Viral hepatitis E	19	554	-	756	572	528	494	191	
Category III										
	Tetanus	0	15	1	29	24	23	21	30	
	Viral hepatitis B	3	162	7	315	315	332	453	382	
	Japanese encephalitis	0	0	1	21	17	11	23	7	
	Viral hepatitis C	63	3,834	157	6,444	7,249	8,308	10,115	11,849	
	Malaria	20	480	17	713	747	420	294	385	Republic of South Sudan(2), Rwanda(1)
	Legionellosis	6	342	11	452	476	415	383	368	
	<i>Vibrio vulnificus</i> sepsis	1	16	4	49	69	46	52	70	
	Murine typhus	0	9	0	60	21	4	9	1	
	Scrub typhus	4	210	25	6,268	5,663	6,235	5,915	4,479	
	Leptospirosis	0	23	2	70	59	125	144	114	
	Brucellosis	0	5	0	5	5	5	4	8	
	HFRS	2	116	5	373	452	302	310	270	
	HIV/AIDS***	12	435	17	714	749	824	770	816	
	CJD	0	37	1	67	67	61	67	64	
	Dengue fever	3	69	3	196	206	103	3	43	India(1), Indonesia(1), Philippines(1)
	Q fever	2	46	2	57	57	56	46	69	
	Lyme Borreliosis	0	21	1	34	45	22	8	18	
	Melioidosis	0	4	0	2	2	2	2	1	
	Chikungunya fever	0	1	0	9	13	8	0	1	
	SFTS	3	165	7	170	198	193	172	243	
	Zika virus infection	0	3	0	0	2	3	0	1	
	MPOX(Monkeypox)	0	10	-	17	151	4	-	-	
	Syphilis	43	1,490	-	2,790	-	-	-	-	
	Primary syphilis	15	505	-	983	-	-	-	-	
	Secondary syphilis	12	298	-	524	-	-	-	-	
	Tertiary syphilis	0	38	-	51	-	-	-	-	
	Congenital syphilis	0	8	-	12	-	-	-	-	
	Latent syphilis	16	641	-	1,220	-	-	-	-	Lithuania(1), Philippines(1)

Abbreviation: EHEC= Enterohemorrhagic *Escherichia coli* VRSA= Vancomycin-resistant *Staphylococcus aureus*, CRE= Carbapenem-resistant Enterobacteriaceae, HFRS= Hemorrhagic fever with renal syndrome, CJD= Creutzfeldt-Jacob Disease, SFTS= Severe fever with thrombocytopenia syndrome.

Cum: Cumulative counts from 1st week to current week in a year.

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

** The number of tuberculosis cases has been changed to total cases(new patient, previously treated patient(relapse patient, treatment after failure patient, treatment after loss to follow-up patient, other previously treated patient), patient with previous tuberculosis treatment history) since 2025.

*** The number of HIV/AIDS cases excluded those who have no Korean citizenship.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

‡ The reported surveillance data excluded no incidence data such as Ebola virus disease, Marburg Hemorrhagic fever, Lassa fever, Crimean Congo Hemorrhagic fever, South American Hemorrhagic fever, Rift Valley fever, Smallpox, Plague, Anthrax, Botulism, Tularemia, Newly emerging infectious disease syndrome, Severe Acute Respiratory Syndrome, Middle East Respiratory Syndrome, Human infection with zoonotic influenza, Novel Influenza, Diphtheria, Poliomyelitis, *Haemophilus influenza* type b, Epidemic typhus, Rabies, Yellow fever, West Nile fever and Tick-borne Encephalitis.

2. Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Tuberculosis**			Varicella			Measles			Cholera		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	388	12,175	13,637	286	21,168	18,088	0	67	11	0	0	0
Seoul	55	1,973	2,265	27	2,436	2,174	0	17	2	0	0	0
Busan	23	752	885	19	1,311	1,014	0	1	0	0	0	0
Daegu	17	566	653	25	1,454	957	0	0	0	0	0	0
Incheon	19	676	710	19	845	851	0	2	0	0	0	0
Gwangju	7	243	297	15	579	652	0	8	0	0	0	0
Daejeon	9	275	292	4	591	482	0	0	0	0	0	0
Ulsan	14	267	258	4	451	459	0	0	0	0	0	0
Sejong	5	44	53	4	168	173	0	0	2	0	0	0
Gyeonggi	81	2,629	3,040	52	6,530	4,877	0	13	0	0	0	0
Gangwon	13	517	577	2	777	542	0	2	0	0	0	0
Chungbuk	17	433	454	3	656	655	0	2	1	0	0	0
Chungnam	18	679	709	10	772	649	0	0	1	0	0	0
Jeonbuk	15	534	562	6	534	694	0	0	0	0	0	0
Jeonnam	23	714	775	18	864	845	0	10	0	0	0	0
Gyeongbuk	46	933	1,055	36	1,211	940	0	3	4	0	0	0
Gyeongnam	24	788	885	38	1,666	1,582	0	7	1	0	0	0
Jeju	2	152	167	4	323	542	0	2	0	0	0	0

Cum: Cumulative counts from 1st week to current week in a year


* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

** The number of tuberculosis cases has been changed to total cases(new patient, previously treated patient(relapse patient, treatment after failure) patient, treatment after loss to follow-up patient, other previously treated patient), patient with previous tuberculosis treatment history) since 2025.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Typhoid fever			Paratyphoid fever			Shigellosis			Enterohemorrhagic <i>Escherichia coli</i>		
	Current week	Cum. 2025	Cum. 5-year average [‡]	Current week	Cum. 2025	Cum. 5-year average [‡]	Current week	Cum. 2025	Cum. 5-year average [‡]	Current week	Cum. 2025	Cum. 5-year average [‡]
Overall	0	20	27	1	12	19	1	40	24	4	336	171
Seoul	0	0	5	0	3	2	0	9	2	0	55	20
Busan	0	5	2	1	5	3	1	5	2	0	11	5
Daegu	0	0	1	0	1	2	0	0	0	2	9	8
Incheon	0	1	2	0	0	1	0	2	2	0	21	6
Gwangju	0	0	0	0	0	1	0	2	1	0	25	22
Daejeon	0	1	1	0	0	0	0	3	2	0	9	6
Ulsan	0	0	2	0	0	0	0	0	1	0	4	3
Sejong	0	0	0	0	0	0	0	1	0	0	1	2
Gyeonggi	0	2	7	0	1	5	0	4	8	0	111	46
Gangwon	0	0	1	0	1	1	0	0	0	0	6	5
Chungbuk	0	0	0	0	0	0	0	3	0	1	11	3
Chungnam	0	2	0	0	0	1	0	3	1	0	19	6
Jeonbuk	0	0	1	0	0	0	0	4	1	0	5	5
Jeonnam	0	0	1	0	1	1	0	2	2	1	16	9
Gyeongbuk	0	8	1	0	0	0	0	1	1	0	21	10
Gyeongnam	0	1	3	0	0	2	0	1	1	0	7	10
Jeju	0	0	0	0	0	0	0	0	0	0	5	5


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

‡ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II											
	Viral hepatitis A			Pertussis			Mumps			Rubella		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	21	772	2,073	29	5,448	4,022	82	4,841	5,577	0	0	0
Seoul	5	126	414	2	505	529	9	633	726	0	0	0
Busan	1	31	53	7	503	163	2	186	274	0	0	0
Daegu	0	17	47	1	377	64	2	282	247	0	0	0
Incheon	0	44	172	1	265	520	2	271	296	0	0	0
Gwangju	0	21	40	0	136	90	3	135	167	0	0	0
Daejeon	1	32	64	2	123	123	3	125	152	0	0	0
Ulsan	0	9	18	3	231	13	4	203	176	0	0	0
Sejong	0	4	14	1	259	5	0	24	46	0	0	0
Gyeonggi	9	208	737	2	1,254	1,201	20	1,444	1,653	0	0	0
Gangwon	0	23	48	0	201	64	4	180	207	0	0	0
Chungbuk	1	33	81	1	148	79	2	156	158	0	0	0
Chungnam	1	36	124	2	265	80	9	262	259	0	0	0
Jeonbuk	0	61	95	1	165	136	7	143	218	0	0	0
Jeonnam	3	34	46	2	242	144	2	178	249	0	0	0
Gyeongbuk	0	45	51	0	197	181	7	210	232	0	0	0
Gyeongnam	0	28	36	4	450	510	4	334	420	0	0	0
Jeju	0	20	33	0	127	120	2	74	97	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category II						Diseases of Category III					
	Meningococcal disease			Scarlet fever			Tetanus			Viral hepatitis B		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	1	8	5	165	9,104	1,480	0	15	17	3	162	234
Seoul	0	0	2	26	1,185	233	0	1	2	0	25	37
Busan	0	1	0	4	480	82	0	1	1	0	13	14
Daegu	0	1	0	2	215	18	0	1	1	0	4	8
Incheon	0	0	0	19	948	106	0	2	1	0	11	15
Gwangju	0	2	0	4	381	79	0	0	0	0	3	5
Daejeon	0	0	0	3	265	34	0	0	0	1	8	7
Ulsan	0	0	0	2	139	38	0	0	0	0	4	3
Sejong	0	0	0	2	52	4	0	0	0	0	0	1
Gyeonggi	0	3	3	55	2,700	493	0	3	3	2	37	70
Gangwon	0	0	0	4	361	60	0	0	1	0	5	7
Chungbuk	0	0	0	6	260	38	0	0	1	0	6	7
Chungnam	1	1	0	18	507	59	0	2	3	0	13	14
Jeonbuk	0	0	0	1	143	24	0	2	1	0	3	9
Jeonnam	0	0	0	2	134	40	0	0	1	0	10	10
Gyeongbuk	0	0	0	6	476	69	0	0	1	0	6	9
Gyeongnam	0	0	0	9	783	80	0	3	1	0	13	15
Jeju	0	0	0	2	75	23	0	0	0	0	1	3


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

✂ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Japanese encephalitis			Malaria			Legionellosis			<i>Vibrio vulnificus</i> sepsis		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	0	0	20	480	389	6	342	275	1	16	22
Seoul	0	0	0	1	57	52	2	87	61	0	1	3
Busan	0	0	0	0	7	4	0	18	11	0	4	2
Daegu	0	0	0	0	2	3	1	18	15	0	0	0
Incheon	0	0	0	3	83	60	0	18	20	0	1	1
Gwangju	0	0	0	0	2	2	0	4	5	0	0	1
Daejeon	0	0	0	1	3	4	0	12	4	0	0	0
Ulsan	0	0	0	0	5	2	0	4	2	0	0	0
Sejong	0	0	0	0	1	0	0	2	1	0	0	0
Gyeonggi	0	0	0	12	268	225	1	83	72	0	1	4
Gangwon	0	0	0	2	27	15	1	7	5	0	0	0
Chungbuk	0	0	0	0	3	3	0	5	8	0	0	0
Chungnam	0	0	0	0	3	5	0	4	7	0	4	2
Jeonbuk	0	0	0	0	2	3	0	9	7	0	0	1
Jeonnam	0	0	0	1	8	5	0	7	14	0	2	4
Gyeongbuk	0	0	0	0	5	3	0	27	13	0	1	1
Gyeongnam	0	0	0	0	4	2	1	28	12	1	2	3
Jeju	0	0	0	0	0	1	0	9	18	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

✂ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Murine typhus			Scrub typhus			Leptospirosis			Brucellosis		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	9	7	4	210	727	0	23	45	0	5	4
Seoul	0	0	0	0	5	15	0	0	1	0	0	0
Busan	0	1	1	0	6	21	0	2	2	0	0	0
Daegu	0	0	0	0	1	7	0	0	1	0	0	0
Incheon	0	2	2	0	1	6	0	0	1	0	0	0
Gwangju	0	0	0	0	4	18	0	2	2	0	0	0
Daejeon	0	0	0	1	7	12	0	0	1	0	0	0
Ulsan	0	4	0	0	1	9	0	0	0	0	0	0
Sejong	0	0	0	0	1	3	0	0	1	0	0	0
Gyeonggi	0	1	1	0	9	36	0	3	3	0	1	1
Gangwon	0	0	0	0	4	7	0	0	2	0	0	0
Chungbuk	0	0	0	0	6	12	0	2	2	0	0	0
Chungnam	0	1	0	0	22	57	0	3	9	0	1	0
Jeonbuk	0	0	1	0	35	127	0	3	6	0	0	1
Jeonnam	0	0	1	3	47	221	0	3	7	0	1	1
Gyeongbuk	0	0	0	0	8	18	0	3	4	0	0	0
Gyeongnam	0	0	1	0	48	151	0	2	3	0	2	1
Jeju	0	0	0	0	5	7	0	0	0	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

✂ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III											
	Hemorrhagic fever with renal syndrome			Creutzfeldt-Jacob Disease			Dengue fever			Q fever		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	2	116	152	0	37	44	3	69	67	2	46	90
Seoul	0	4	2	0	7	10	2	20	21	0	3	10
Busan	0	2	2	0	3	4	0	5	4	0	0	2
Daegu	0	1	3	0	0	2	0	3	1	0	2	1
Incheon	0	3	2	0	3	2	0	9	4	0	1	9
Gwangju	0	4	3	0	1	1	0	0	2	0	0	1
Daejeon	0	5	1	0	1	2	0	3	0	0	1	3
Ulsan	0	0	1	0	2	1	0	1	1	0	0	1
Sejong	0	0	1	0	0	0	0	0	0	0	0	0
Gyeonggi	0	21	23	0	10	11	1	13	22	0	15	38
Gangwon	0	3	14	0	1	2	0	1	1	0	0	2
Chungbuk	0	6	3	0	0	1	0	2	1	1	5	6
Chungnam	1	20	17	0	2	1	0	2	2	1	8	5
Jeonbuk	1	12	28	0	1	1	0	1	2	0	1	2
Jeonnam	0	17	28	0	2	2	0	4	2	0	4	4
Gyeongbuk	0	8	9	0	0	1	0	1	1	0	2	4
Gyeongnam	0	9	12	0	3	2	0	2	3	0	4	2
Jeju	0	1	3	0	1	1	0	2	0	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



2. (Continued) Reported cases by geography, week ending August 30, 2025 (35th Week)*

Unit: no. of cases[†]

Reporting area	Diseases of Category III								
	Lyme Borreliosis			Severe fever with thrombocytopenia syndrome			Zika virus infection		
	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]	Current week	Cum. 2025	Cum. 5-year average [§]
Overall	0	21	14	3	165	107	0	3	0
Seoul	0	4	4	0	9	5	0	1	0
Busan	0	2	0	0	5	1	0	0	0
Daegu	0	0	0	0	10	6	0	0	0
Incheon	0	0	2	0	1	1	0	0	0
Gwangju	0	0	0	0	2	1	0	0	0
Daejeon	0	0	0	0	4	1	0	0	0
Ulsan	0	0	0	0	6	3	0	0	0
Sejong	0	0	0	0	1	1	0	0	0
Gyeonggi	0	11	3	1	21	16	0	2	0
Gangwon	0	0	1	0	13	12	0	0	0
Chungbuk	0	0	0	0	10	4	0	0	0
Chungnam	0	0	2	0	9	8	0	0	0
Jeonbuk	0	0	0	1	14	7	0	0	0
Jeonnam	0	1	0	0	6	7	0	0	0
Gyeongbuk	0	0	1	0	22	15	0	0	0
Gyeongnam	0	3	1	1	19	11	0	0	0
Jeju	0	0	0	0	13	8	0	0	0


Cum: Cumulative counts from 1st week to current week in a year

* The reported data for year 2025 is provisional, whereas data from 2020 to 2024 are finalized.

† The reported cases contain all case classifications such as confirmed, suspected, and asymptomatic carrier of the disease.

§ Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

※ Weekly reported cases of notifiable diseases, by geography



II. Sentinel-Reporting Infectious Diseases

1. Influenza, week ending August 23, 2025 (34th Week)

- Weekly proportion of influenza-like illness per 1,000 outpatients: 6.0 cases (=0.6%)
- Trend: increase from 5.8 cases in 33rd week of 2025
- Sentinel reporting sites: 300 primary clinics
- ※ 2024-2025 outbreak standard: 8.6 cases/(1,000)




Figure 1. Weekly proportion of influenza-like illness per 1,000 outpatients, 2019-2020 to 2024-2025 flu seasons

2. Hand, Foot and Mouth Disease (HFMD), week ending August 30, 2025 (35th Week)

- Weekly proportion of hand, foot and mouth disease (HFMD) per 1,000 outpatients: 20.8 cases
- Trend: decrease from 21.0 cases in 34th week of 2025
- Sentinel reporting sites: 94 pediatric clinics




Figure 2. Weekly proportion of clinically suspected HFMD case per 1,000 outpatients, 2021-2025

3. Ophthalmologic infectious diseases, week ending August 30, 2025 (35th Week)

- Weekly proportion of clinically suspected epidemic keratoconjunctivitis per 1,000 outpatients: 9.4 cases
- Trend: increase from 8.6 cases in 34th week of 2025
- Sentinel reporting sites: 85 clinics




Figure 3. Weekly proportion of clinically suspected epidemic keratoconjunctivitis case per 1,000 outpatients, 2021-2025

- Weekly proportion of clinically suspected acute hemorrhagic conjunctivitis case per 1,000 outpatients: 0.4 case
- Trend: decrease from 0.5 case in 34th week of 2025
- Sentinel reporting sites: 85 clinics




Figure 4. Weekly proportion of clinically suspected acute hemorrhagic conjunctivitis case per 1,000 outpatients, 2021-2025

4. Sexually Transmitted Diseases[†], week ending August 30, 2025 (35th Week)

- **Cases per sentinel:**

4.1 for Human Papilloma virus infection, 3.1 for Genital herpes, 1.7 for Chlamydia, 1.4 for Condyloma acuminata, 1.0 for Gonorrhea

- **Variation from 34th week of 2025**

increase: Human Papilloma virus infection (4.0→4.1), Genital herpes (2.2→3.1), Chlamydia (1.3→1.7)

no change: Gonorrhea (1.0→1.0)

decrease: Condyloma acuminata (1.7→1.4)

- **Sentinel reporting sites: 562 hospitals/clinics**

※ No. of reported sites in 35th week: 6 for Gonorrhea, 42 for Chlamydia, 65 for Genital herpes, 22 for Condyloma acuminata, 57 for Human Papilloma virus infection

Gonorrhea			Chlamydia			Genital herpes		
Current week	Cum. 2024	Cum. 5-year average [§]	Current week	Cum. 2024	Cum. 5-year average [§]	Current week	Cum. 2024	Cum. 5-year average [§]
1.0	3.6	5.5	1.7	13.2	14.9	3.1	37.5	35.5

Condyloma acuminata			Human Papilloma virus infection		
Current week	Cum. 2024	Cum. 5-year average [§]	Current week	Cum. 2024	Cum. 5-year average [§]
1.4	10.8	12.6	4.1	68.1	53.0

Cum: Cumulative counts from 1st week to current week in a year

[†] According to surveillance data, the reported cases may include all of the cases such as confirmed, suspected, and asymptomatic carrier in the group.

[§] Cum. 5-year average is mean value calculated by cumulative counts from 1st week to current week for 5 preceding years.

III. Waterborne and Foodborne Infectious Diseases

1. Waterborne and foodborne disease outbreaks, week ending August 30, 2025 (35th Week)

- No. of reported cases: 16 outbreaks with 409 patients (cumulative no.: 441 outbreaks with 9,155 patients)
- Trend: increase from 15 outbreaks in 34th week of 2025




Figure 5. Number of waterborne and foodborne disease outbreaks reported by week, 2024-2025

IV. Laboratory-based Pathogen Surveillance: Influenza and Respiratory Viruses

1. Influenza viruses, week ending August 30, 2025 (35th Week)

- Weekly reported number of specimens positive for influenza: 1.1%
[influenza subtype: A(H1N1)pdm09 0.54%, A(H3N2) 0.54%, B 0.0%]
- Variation (%p): decrease from 1.4% in 34th week of 2025
- Sentinel reporting sites: 106 hospitals/clinics




Figure 6. Number of specimens positive for influenza by subtype, 2024-2025 flu season

2. Respiratory viruses, week ending August 30, 2025 (35th Week)

- Detection rate: 72.6% (cumulative mean proportion during preceding three weeks plus current week: 72.5%)
- Variation (%p): increase from 72.2% in 34th week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 106 hospitals/clinics

2025 (week)		Weekly total	Detection rate (%)								
		Detection rate (%)	HAdV	HBoV	HPIV	HRSV	HRV	HMPV	HCoV	IFV	SARS-CoV-2
2025	32	74.8	3.9	3.6	18.6	0.0	14.4	1.0	1.0	0.3	32.0
	33	69.4	3.8	1.3	14.9	1.7	14.5	0.9	0.4	0.4	31.5
	34	72.2	3.1	3.1	14.2	1.0	13.2	2.1	1.4	1.4	32.6
	35	72.6	4.9	2.2	13.0	1.6	10.0	1.1	1.1	1.1	37.7
Cum.※		72.5	4.0	2.6	15.1	1.1	12.8	1.3	1.0	0.8	33.8
2024 Cum.▽		65.1	5.8	3.1	5.4	5.2	15.4	4.5	2.6	8.9	14.2

- HAdV : human Adenovirus, HPIV : human Parainfluenza virus, HRSV : human Respiratory syncytial virus, IFV : Influenza virus, HCoV : human Coronavirus, HRV : human Rhinovirus, HBoV : human Bocavirus, HMPV : human Metapneumovirus

※ Cum. : the rate of detected cases between August 3, 2025 - August 30, 2025

▽ 2024 Cum. : the rate of detected cases between December 31, 2023 - December 28, 2024

V. Laboratory-based Pathogen Surveillance: Acute Gastroenteritis Viruses/Bacteria

1. Acute gastroenteritis-causing virus, week ending August 23, 2025 (34th Week)

- Detection rate: 16.9% (cumulative mean proportion in 2025: 1,107 cases [41.7%] out of 2,654 specimens)
- Variation (%p): increase from 10.3% in 33rd week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 72 hospitals/clinics

Week		No. of sample	No. of detection (Detection rate, %)											
			Norovirus		Group A Rotavirus		Enteric Adenovirus		Astrovirus		Sapovirus		Total	
2025	31	93	2	(2.2)	1	(1.1)	4	(4.3)	3	(3.2)	4	(4.3)	14	(15.1)
	32	75	4	(5.3)	0	(0.0)	4	(5.3)	1	(1.3)	1	(1.3)	10	(13.3)
	33	78	1	(1.3)	0	(0.0)	0	(0.0)	5	(6.4)	2	(2.6)	8	(10.3)
	34	71	3	(4.2)	0	(0.0)	1	(1.4)	3	(4.2)	5	(7.0)	12	(16.9)
2025 Cum.		2,654	798	(30.1)	116	(4.4)	101	(3.8)	55	(2.1)	37	(1.4)	1,107	(41.7)

* The samples were collected from children ≤5 years of sporadic acute gastroenteritis in Korea.

2. Acute gastroenteritis-causing bacteria, week ending August 23, 2025 (34th Week)

- Detection rate: 34.2% (cumulative mean proportion in 2025: 1,541 cases [16.2%] out of 9,528 specimens)
- Variation (%p): increase from 32.1% in 33rd week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 76 hospitals/clinics

Week		No. of Sample	No. of isolation (Isolation rate, %)									
			<i>Salmonella</i> spp.	Pathogenic <i>E.coli</i>	<i>Shigella</i> spp.	<i>V. parahae molyticus</i>	<i>V. cholerae</i>	<i>Campylo bacter</i> spp.	<i>C. perfringens</i>	<i>S. aureus</i>	<i>B. cereus</i>	Total
2025	31	329	22 (6.7)	40 (12.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.3)	9 (2.7)	11 (3.3)	9 (2.7)	93 (28.3)
	32	306	22 (7.2)	27 (8.8)	0 (0.0)	0 (0.0)	0 (0.0)	9 (2.9)	9 (2.9)	9 (2.9)	15 (4.9)	91 (29.7)
	33	299	24 (8.0)	40 (13.4)	0 (0.0)	0 (0.0)	0 (0.0)	4 (1.3)	10 (3.3)	10 (3.3)	7 (2.3)	96 (32.1)
	34	225	13 (5.8)	38 (16.9)	0 (0.0)	0 (0.0)	0 (0.0)	3 (1.3)	3 (1.3)	9 (4.0)	11 (4.9)	77 (34.2)
2025 Cum.		9,528	344 (3.6)	487 (5.1)	1 (0.01)	0 (0.0)	0 (0.0)	63 (0.7)	169 (1.8)	253 (2.7)	214 (2.2)	1,541 (16.2)

* Bacterial Pathogens ; *Salmonella* spp., *E. coli* (EHEC, ETEC, EPEC, EIEC), *Shigella* spp., *Vibrio parahaemolyticus*, *Vibrio cholerae*, *Campylobacter* spp., *Clostridium perfringens*, *Staphylococcus aureus*, *Bacillus cereus*, *Listeria monocytogenes*, *Yersinia enterocolitica*.

VI. Laboratory-based Pathogen Surveillance: Enterovirus

1. Enterovirus, week ending August 23, 2025 (34th Week)

- Detection rate: 55.9% (19 cases / 34 specimens) (cumulative mean proportion in 2025: 43.5% [306 cases / 704 specimens])
 - Aseptic meningitis: 0 case (Cum. 2025: 2 cases)
 - HFMD and herpangina: 17 cases (Cum. 2025: 249 cases)
 - HFMD with complications: 0 case (Cum. 2025: 2 cases)
 - Other: 2 cases (Cum. 2025: 53 cases)
- Variation (%p): decrease from 75.0% in 33rd week of 2025
- Sentinel reporting sites: 18 city/provincial health and environmental institutes and 83 hospitals/clinics




Figure 7. Detection of enterovirus in aseptic meningitis patients from 2023 to 2025




Figure 8. Detection of enterovirus in HFMD and herpangina patients from 2023 to 2025




Figure 9. Detection of enterovirus in HFMD with complications patients from 2023 to 2025

VII. Vector Surveillance: Malaria vector Mosquitoes

1. Malaria vector mosquitoes, week ending August 23, 2025 (34th Week)

- No. of malaria vector mosquitoes: 7.9
- Variation: increase from 6.9 in 34th week of 2024
- Sentinel reporting sites: 4 city/province (87 sites)
- ※ No. of mosquitoes: average number of mosquitoes/trap/day




Figure 10. Weekly incidences of malaria vector mosquitoes

VIII. Vector Surveillance: Japanese encephalitis vector Mosquitoes

1. Japanese encephalitis vector mosquitoes, week ending August 30, 2025 (35th Week)

- No. of Japanese encephalitis vector mosquitoes: 228
- Variation: decrease from 331 in 35th week of 2024
- Sentinel reporting sites: 12 city/provincial health and environmental institutes
- ※ No. of mosquitoes (Trap index, TI): average number of mosquitoes/trap/day




Figure 11. Weekly incidence of Japanese encephalitis vector mosquitoes

IX. Vector Surveillance: Severe fever with thrombocytopenia syndrome vector ticks

1. Severe fever with thrombocytopenia syndrome vector ticks, week ending August 23, 2025 (34th week)

- No. of severe fever with thrombocytopenia syndrome vector ticks per trap (T.I.): 63.5
 - Variation: decrease from 89.8 in 34th week of 2024
 - Sentinel reporting sites: 11 city/province (16 sites)
- ※ T.I.: Trap Index (number of ticks/trap)




Figure 12. Monthly incidence of severe fever with thrombocytopenia syndrome vector ticks

About PHWR Surveillance Statistics of Infectious Diseases

The Public Health Weekly Report (PHWR) Surveillance Statistics of Infectious Disease is prepared by the Korea Disease Control and Prevention Agency (KCDA). These provisional surveillance data on the reported occurrence of national notifiable diseases and conditions are compiled through population-based or sentinel-based surveillance systems and published weekly, except for data on infrequent or recently-designated diseases. These surveillance statistics are informative for analyzing infectious disease or condition numbers and trends. However, the completeness of data might be influenced by some factors such as a date of symptom or disease onset, diagnosis, laboratory result, reporting of a case to a jurisdiction, or notification to Korea Disease Control and Prevention Agency. The official and final disease statistics are published in infectious disease surveillance yearbook annually.

Using and Interpreting These Data in Tables

- **Current Week** – The number of cases under current week denotes cases who have been reported to Korea CDC at the central level via corresponding jurisdictions(health centers, and health departments) during that week and accepted/approved by surveillance staff.
- **Cum. 2025** – For the current year, it denotes the cumulative(Cum) year-to-date provisional counts for the specified condition.
- **5-year weekly average** – The 5-year weekly average is calculated by summing, for the 5 proceeding years, the provisional incidence counts for the current week, the two weeks preceding the current week, and the two weeks following the current week. The total sum of cases is then divided by 25 weeks. It gives help to discern the statistical aberration of the specified disease incidence by comparing difference between counts under current week and 5-year weekly average.

For example,

		Week Number				
		10	11	12	13	14
Year	2025			Current week		
	2024	X1	X2	X3	X4	X5
	2023	X6	X7	X8	X9	X10
	2022	X11	X12	X13	X14	X15
	2021	X16	X17	X18	X19	X20
	2020	X21	X22	X23	X24	X25

5-year weekly average for current week

$$= (X1 + X2 + \dots + X25) / 25$$

- **Cum. 5-year average** – Mean value calculated by cumulative counts from 1st week to current week for 5 preceding years. It gives help to understand the increasing or decreasing pattern of the specific disease incidence by comparing difference between cum. 2025 and cum. 5-year average.

Contact Us

Questions or comments about the PHWR Surveillance Statistics of Infectious Disease can be sent to phwrcdc@korea.kr